## Sit & Stand

FRE3054



Item no. FRE3054-3717	
General Product Information	
Dimensions LxWxH	0x0x109 cm
Age group	3+
Play capacity (users)	-
Colour options	



Welcome to the game! The sit and stand frame is a good meeting point that can be installed close to multisport pitches. The frames are available in galvanised or coloured versions.

## Sit & Stand

FRE3054



The steel surfaces are hot-dip galvanised inside and outside with lead-free zinc. The galvanisation has excellent corrosion resistance in outside environments and requires low maintenance.



Item no. FRE3054	4-3717	
Installation Information		
Max. fall height		0 cm
Safety surfacing area	0	0.0 m²
Total installation time		0.8
Excavation volume	0.	11 m³
Concrete volume	0.0	04 m³
Footing depth (standard)	ç	90 cm
Shipment weight	:	31 kg
Anchoring options	In-ground	~
Warranty Information		
HDG Post	Lif	etime
Spare Parts Guarantee	10	years



## **Sustainability Data**

Cradle to Gate A1-A3

FRE3054-3717

FRE3054



Kompan A/S C.F. Tietgens Boulevard 32C DK-5220 Odense SØ Denmark



Verification of  $CO_2$  calculation of: Sport



Data version no. 2023-10-05

The  $CO_2$  calculation and data are in compliance with the principles of a carbon footprint impact according to the GHG protocol (Greenhouse Gas Protocol), Scope 3, cradle to gate related to all individual components in the product category: "Sport" represented by item no.: FRE600202-0901.

(Scope 3 emissions include emission sources in the upstream and downstream value chain).

Date: 30. October 2023 | Valid until: 30. October 2025 Verified by:

## maiz

Julie Marie Vejsgaard Larsen, LCA & EPD Consultant

Verification based on report: Validation of CO<sub>2</sub> calculation of 9 categories of Kompan product line, version 1.0, prepared by: Bureau Veritas HSE, Denmark: Julie M. V. Larsen.

Publication date: 30. October 2023

By Bureau Veritas HSE www.bureauveritas.dk +45 7731 1000



The overall framework applied for these factors is the Environmental Product Declaration (EPD), which quantifies "environmental information on the life cycle of a product and enable comparisons between products fulfilling the same function" (ISO, 2006). This follows the structure and applies a Life-Cycle Assessment approach to the entire Product stage from raw material through manufacturing (A1-A3))

**Total CO2** 

emission

kg CO<sub>2</sub>e

91.76

CO2e/kg

kg CO<sub>2</sub>e/kg

3.14

Recycled

materials

%

45.75




FRE3054

\* Max fall height | \*\* Total height | \*\*\* Safety surfacing area

KOMPAN Let's play

\* Max fall height | \*\* Total height



FRE3054 \*\*109cm 1:100 \*\*109

FRE3054

Click to see TOP VIEW

Click to see SIDE VIEW

4 / 06/14/2024

Data is subject to change without prior notice.