NRO108





Item no. NRO108-0401

#### **General Product Information**

Dimensions LxWxH 160x140x70 cm
Age group 3+
Play capacity (users) 4
Colour options









The Butterfly Seesaw takes the classic seesawing to new social heights: thanks to the springs, unequal numbers can play together. Children can even play this alone. That allows for varied play, a feature that will attract children again and again, for shorter or longer try-outs. The sense of space and rhythm and leg and arm strength of children is trained

when they rock and seesaw. The two varied surfaces, a flat horizontal and a rounded horizontal, allows for more body positions: sitting, kneeling, lying. This accommodates a wider span of users, both age and ability-wise. Rocking trains the senses of balance and space. These are both crucial for body confidence, e.g. in avoiding falling. Doing this

more children together develops important social-emotional skills such as turn- taking and cooperation.





NRO108







#### Handhold

**Physical:** the vertical handgrips ensure a firm grip at different heights, necessary for rocking intensely. This trains hand and arm muscles.







# Rocking together Social-Emotional: the possibility of rocking two together trains cooperation skills. Consideration of others when rocking.







#### Rocking spring

Physical: response to movements adds to spatial awareness and sense of balance. These are fundamental motor skills that help the child's ability to sit still on a chair which takes a good sense of balance. Cognitive: trains the understanding of cause and effect: when I move my body, the spring responds with movement.

NRO108





All Organic Robinia products by KOMPAN are made of Robinia wood from sustainable European sources. On request it can be supplied as FSC® Certified (FSC® C004450).



KOMPAN Springs are made of high quality spring steel according to EN10270. The springs are cleaned by phosphating before they are painted with an epoxy primer and a polyester powder coating as top finish. The springs are fixed by unique anti pinch fittings for maximum safety and long lifetime.



The Robinia wood can be supplied as untreated raw wood or painted with a brown coloured transparent pigment that maintains the golden wood colour of the wood.

Item no. NRO108-0401			
Installation Information			
Max. fall height	ç	94 cm	
Safety surfacing area	g	9.5 m²	
Total installation time	4.0 hours		
Excavation volume	0.32 m³		
Concrete volume	0.00 m³		
Footing depth (standard)	41 cm		
Shipment weight	127 kg		
Anchoring options	In-ground	•	
Anchoring options	In-ground Surface	<b>,</b>	
Anchoring options  Warranty Inform	Surface	•	
• ,	Surface ation	years	
Warranty Inform	Surface ation	•	
Warranty Inform	Surface ation 10 15	years	
Warranty Inform Handle Robinia wood	Surface ation 10 15	years years	



### **Sustainability Data**

NRO108





C.F. Tietgens Boulevard 32C DK-5220 Odense SØ Denmark



### Verification of CO<sub>2</sub> calculation of: Nature play



Data version no. 2023-10-05

The  $\mathrm{CO}_2$  calculation and data are in compliance with the principles of a carbon footprint impact according to the GHG protocol (Greenhouse Gas Protocol), Scope 3, cradle to gate related to all individual components in the product category: "Nature play" represented by item no.: NRO409-0621.

(Scope 3 emissions include emission sources in the upstream and downstream value chain).

Date: 30. October 2023 | Valid until: 30. October 2025 Verified by:

mais

Julie Marie Vejsgaard Larsen, LCA & EPD Consultant

Verification based on report: Validation of  $CO_2$  calculation of 9 categories of Kompan product line, version 1.0, prepared by: Bureau Veritas HSE, Denmark: Julie M. V. Larsen.

Publication date: 30. October 2023





Cradle to Gate A1-A3	Total CO₂ emission	CO₂e/kg	Recycled materials
	kg CO₂e	kg CO₂e/kg	%
NRO108-0401	212.99	1.94	16.23


The overall framework applied for these factors is the Environmental Product Declaration (EPD), which quantifies "environmental information on the life cycle of a product and enable comparisons between products fulfilling the same function" (ISO, 2006). This follows the structure and applies a Life-Cycle Assessment approach to the entire Product stage from raw material through manufacturing (A1-A3))

NRO108



\* Max fall height | \*\* Total height | \*\*\* Safety surfacing area

\* Max fall height | \*\* Total height





Click to see TOP VIEW

Click to see SIDE VIEW