# **Madison Square Double Meeting Point**

PCX701



KON Item no. PCX701-0901 **General Product Information** Dimensions LxWxH 10'10"x3'9"x5'8" Age group 5 - 12




Color options



The Madison Square Double Meeting Point allows for groups of children to have a break. The space allows groups of different sizes to meet, interact and socialize. As it is always popular among school age children to hang out in bigger groups with their friends, and this meeting point will automatically attract them to the playground. The varied framework of

benches with and without roof and back support allows for different sorts of seating positions and cater to users of various ages and abilities. By attracting bigger groups, this space invites many children to socialize and interact, particularly children of different ages and abilities. This will support their ability to learn about themselves, others, and the world around them when sharing and listening.



## **Madison Square Double Meeting Point**



PCX701





Roof, back support and side panel Social-Emotional: creates room for being together.



Multiple benches Social-Emotional: meeting, sharing, and having a break in a transparent setting.

# **Madison Square Double Meeting Point**




PCX701



All steel components are made of high quality materials. The posts have an alloy with improved tensile and yield strength according to the NYCP material specification. The painted aluminum post caps are riveted to the top of the post.

All panels and one-piece welded steel grids are made of low carbon steel and corrosion treated by hot dip galvanization or metallization with a minimum thickness according to NYCP material specification.



The product is designed in three different standard color combinations: Red and dark blue, Lime green and dark blue, Lime green and green. The layouts of the play structures can be customized through the KOMPAN Variant Team.

Item no. PCX701-0901					
Installation Information					
Max. fall height		0'0"			
Safety surfacing area		0ft <sup>2</sup>			
Total installation time		6.6			
Excavation volume	0.	14yd³			
Concrete volume	0.	07yd³			
Footing depth (standard)		2'9"			
Shipment weight	5	58lbs			
Anchoring options	In-ground	~			

Warranty Information			
EcoCore HDPE	Lifetime		
HDG post	Lifetime		
HPL decks	15 Years		
Ropes & nets	10 Years		
Spare Parts Availability	10 Years		

Elevated activities <b>0</b>	Accessible elevated activities	Accessible ground level activities	Accessible ground level play types
Present	0	3	1
Required	0	1	1

ASTM F1487 compliant

## **Sustainability Data**

PCX701




Cradle to Gate A1-A3	Total CO <sub>2</sub> emission	(:() <sub>2</sub> 0/kg	
	kg CO₂e	kg CO₂e/kg	%
PCX701-0901	610.93	3.04	48.43

The overall framework applied for these factors is the Environmental Product Declaration (EPD), which quantifies "environmental information on the life cycle of a product and enable comparisons between products fulfilling the same function" (ISO, 2006). This follows the structure and applies a Life-Cycle Assessment approach to the entire Product stage from raw material through manufacturing (A1-A3))

KOMPAN Let's play

Kompan A/S C.F. Tietgens Boulevard 32C DK-5220 Odense SØ Denmark







#### Data version no. 2023-10-05

The  $CO_2$  calculation and data are in compliance with the principles of a carbon footprint impact according to the GHG protocol (Greenhouse Gas Protocol), Scope 3, cradle to gate related to all individual components in the product category: "Play systems" represented by item no.: PCM200321-0950.

(Scope 3 emissions include emission sources in the upstream and downstream value chain).

Date: 30. October 2023 | Valid until: 30. October 2025 Verified by:

mais

Julie Marie Vejsgaard Larsen, LCA & EPD Consultant

Verification based on report: Validation of CO<sub>2</sub> calculation of 9 categories of Kompan product line, version 1.0, prepared by: Bureau Veritas HSE, Denmark: Julie M. V. Larsen.

Publication date: 30. October 2023




By Bureau Veritas HSE www.bureauveritas.dk +45 7731 1000



PCX701

\* Max fall height | \*\* Total height | \*\*\* Safety surfacing area

\* Max fall height | \*\* Total height



PCX701

Click to see TOP VIEW



Data is subject to change without prior notice.

