PCE400121





Item no. PCE400121-0602


General Product Information

Dimensions LxWxH 712x697x340 cm

Age group 1+

Play capacity (users) 55

Colour options



The Adventurer with its whimsical look and vast variety of play activities is hugely attractive to infants and toddlers. They will return again and again, thanks to the adventurous nature of the many play events. Bouncy and sturdy climbs, crawling in the tunnels and the responsive membrane bridge all develop cross-coordination and balance skills. The bridge

builds bone density when children jump. Many play panels and lovely quiet corners for a break from intense play, add explorative elements for dexterity and logical thinking skills. The many ground level sensory play features offer something for everyone to play. The swaying hammock offers a break, too. The thrilling slides are the reward for climbing up, and a

loop of play is created, for everyone to run up and slide down.





PCE400121





Talk tube
Social-Emotional: encourages
communication and social interaction.
Cognitive: evokes curiosity and stimulates an
understanding of cause and effect and object
permanence.












Conveyor panel

Physical: tactile stimulation from running hands over rolling spheres on conveyor belt. Social-Emotional: spurs group play and conversations with its two-sidedness. Cognitive: understanding of object permanence when pictures roll away and reappear.











Membrane bridge

thinking.



Physical: agility, balance and coordination,

Development of bone density when jumping.

others. Relaxation when lying or sitting, being

bounced by others. Cognitive: understanding

force of movement and sense of effort.

Social-Emotional: turn-taking, problem

solving and cooperation when bouncing

of 'cause and effect' as well as logical







Hammock





Physical: coordination and sense of balance when swaying. **Social-Emotional:** meeting, pushing friends gently back and forth, turntaking.



Sand scoops panel

positions.



Physical: hand eye coordination and push-

pull movements. Social-Emotional: invites

for parallel play. Cognitive: logical thinking:

cause and effect, when running scoops in

cooperation due to the two-sides and provides

grooves or shifting materials between scoops.

Creative: shifting scoops, creating new scoop















Physical: the hole allows for climbing and crawling through, developing cross coordination, proprioception and spatial awareness. Social-Emotional: cooperation and turn-taking when passing one another. Cognitive: understanding space, shape and measures when seeing if the body can fit through the hole.



PCE400121



100 cm

74.2 m²

1.33 m³

 0.14 m^3


1,528 kg

80 cm

49.6




The Curved ELEMENTS panels are moulded of UV stabilised recyclable PE with multiple options for in-build play features that also ensures a strong panel solution. Straight panels are made of KOMPAN 19mm PE EcoCore™ which is a highly durable, eco-friendly and recyclable material.




The ELEMENTS roofs are made of recyclable PE with a minimum wall thickness of 5 mm to ensure high durability in all climates around the world. The steel pipes are hot-dip galvanised inside and outside for maximum durability.



ELEMENTS products are available in three different colour combinations: 1. classic blue, green2. blossom, orange, yellow3. nature lime, green




	In-ground	~
Warranty Info	ormation	
Curved Panels	10 ye	ars
EcoCore HDPE	Lifeti	me
Membrane	2 ye	ars
Post	10 ye	ars
Spare Parts Guarantee	10 ye	ars



The main posts are made of high quality pregalvanized steel with powder coated top finish. Post tops are closed with caps of UV stabilized nylon (PA6). The grey colored molded decks are made of 75% post-consumer ocean waste PP material with a non-skid pattern and textured surface. All decks are supported by uniquely designed, low-carbon aluminum profiles with multiple attachment options.



ELEMENTS rubber membranes are conveyer belt made of layers of rubber mixed of natural rubber and SBR rubber and embedded with layers of armouring made of woven PE and PA. The thickness 8mm ensures high durability in any environment.



The slides are available in either moulded PE in different colours or in full stainless steel -AISI304 t= 2mm.



3 / 07/19/2024 Data is subject to change without prior notice.

Sustainability Data

PCE400121





Cradle to Gate A1-A3	Total CO₂ emission	CO₂e/kg	Recycled materials
	kg CO₂e	kg CO₂e/kg	%
PCE400121-0602	3,191.64	2.73	46.06

The overall framework applied for these factors is the Environmental Product Declaration (EPD), which quantifies "environmental information on the life cycle of a product and enable comparisons between products fulfilling the same function" (ISO, 2006). This follows the structure and applies a Life-Cycle Assessment approach to the entire Product stage from raw material through manufacturing (A1-A3))

Kompan A/S

C.F. Tietgens Boulevard 32C DK-5220 Odense SØ Denmark



Verification of CO₂ calculation of: Play systems



Data version no. 2023-10-05

The $\mathrm{CO_2}$ calculation and data are in compliance with the principles of a carbon footprint impact according to the GHG protocol (Greenhouse Gas Protocol), Scope 3, cradle to gate related to all individual components in the product category: "Play systems" represented by item no.: PCM200321-0950.

(Scope 3 emissions include emission sources in the upstream and downstream value chain).

Date: 30. October 2023 | Valid until: 30. October 2025 Verified by:

Julie Marie Vejsgaard Larsen, LCA & EPD Consultant

Verification based on report: Validation of CO_2 calculation of 9 categories of Kompan product line, version 1.0, prepared by: Bureau Veritas HSE, Denmark: Julie M. V. Larsen.

Publication date: 30. October 2023

By Bureau Veritas HSE
www.bureauveritas.dk
+45 7731 1000





PCE400121



* Max fall height | ** Total height | *** Safety surfacing area

* Max fall height | ** Total height





Click to see TOP VIEW Click to see SIDE VIEW