

Parkour 2

NRO852



The Parkour 2 is a challenge that school age children can't pass without trying. The varied, responsive climbing ropes and nets are too much of a temptation. The Parkour 2 stimulates basic motor skills. Children use their cross-coordination, their proprioception and their muscles when they climb horizontally and vertically across the ropes and nets. The


balancing across the top beam with support rope adds to the thrill. The variation allows for different climbing styles and more children climbing together. This takes cooperation and communication so children use and expand social-emotional skills such as turn-taking and negotiation. The Parkour 2 allows ample space for meeting, too. The higher destinations are

good for the sense of space. This helps children judge distances, e.g. in street traffic.

Item no. NRO852-1001

General Product Information

Dimensions LxWxH	321x317x279 cm
Age group	6+
Play capacity (users)	14
Color options	



Parkour 2

NRO852



All Organic Robinia products by KOMPAN are made of Robinia wood from sustainable European sources. On request it can be supplied as FSC® Certified (FSC® C004450).



Full coloured EPDM rubber seats with smooth surface. The seats are moulded on a hot dip galvanised steel inlay that ensures durable fixation to the rope.



Nets and ropes are made of UV-stabilised PA with inner steel cable reinforcement. The rope is induction treated in order to create a strong connection between steel and rope which leads to good wear resistance.

Item no. NRO852-1001	
Installation Information	
Max. fall height	267 cm
Safety surfacing area	35.8 m ²
Total installation time	8.4
Excavation volume	2.35 m ³
Concrete volume	0.23 m ³
Footing depth (standard)	102 cm
Shipment weight	400 kg
Anchoring options	In-ground ✓



The Robinia wood can be supplied as untreated raw wood or painted with a brown coloured transparent pigment that maintains the golden wood colour of the wood.



Sustainability Data

NRO852



Cradle to Gate A1-A3	Total CO ₂ emission	CO ₂ e/kg	Recycled materials
	kg CO ₂ e	kg CO ₂ e/kg	%
NRO852-1001	234.00	0.74	7.20

The overall framework applied for these factors is the Environmental Product Declaration (EPD), which quantifies "environmental information on the life cycle of a product and enable comparisons between products fulfilling the same function" (ISO, 2006). This follows the structure and applies a Life-Cycle Assessment approach to the entire Product stage from raw material through manufacturing (A1-A3))

Kompan A/S
 C.F. Tietgens Boulevard 32C
 DK-5220 Odense SØ
 Denmark



Verification of CO₂ calculation of: Nature play



Data version no. 2023-10-05

The CO₂ calculation and data are in compliance with the principles of a carbon footprint impact according to the GHG protocol (Greenhouse Gas Protocol), Scope 3, cradle to gate related to all individual components in the product category: "Nature play" represented by item no.: NRO409-0621.

(Scope 3 emissions include emission sources in the upstream and downstream value chain).

Date: 30. October 2023 | Valid until: 30. October 2025

Verified by:

Julie Marie Vejsgaard Larsen, LCA & EPD Consultant

Verification based on report: Validation of CO₂ calculation of 9 categories of Kompan product line, version 1.0, prepared by: Bureau Veritas HSE, Denmark: Julie M. V. Larsen.

Publication date: 30. October 2023

By Bureau Veritas HSE
 www.bureauveritas.dk
 +45 7731 1000





Parkour 2

NRO852

* Max fall height | ** Total height | *** Safety surfacing area

* Max fall height | ** Total height



[Click to see TOP VIEW](#)

[Click to see SIDE VIEW](#)