


# Agility Trail 3


NRO862



Item no. NRO862-1001

## General Product Information

Dimensions LxWxH	1366x148x240 cm
Age group	6+
Play capacity (users)	13
Color options	 



The Agility Trail 3 is a challenge that all 6-12 year olds will want to take on. The variation in responsive balancing activities will make children come back again and again. The combination of overhead, upper body and crawl-climb activities offer great play challenges. Crawling the net tunnel and balancing on beams and ropes not only is fun,

it also trains cross-coordination and the sense of balance. These skills are important for having confidence in physical activity. The upper body activities of the Agility Trail 3 strengthen the core and arm muscles. The multiple places where children have to take turns and negotiate to cross one-another train important social-emotional skills that are basic

to the ability to form friendship and relate to peers.

# Agility Trail 3

NRO862



All Organic Robinia products by KOMPAN are made of Robinia wood from sustainable European sources. On request it can be supplied as FSC® Certified (FSC® C004450).



Nets and ropes are made of UV-stabilised PA with inner steel cable reinforcement. The rope is induction treated in order to create a strong connection between steel and rope which leads to good wear resistance.



Overhead climbing handles are made of high quality stainless steel. The handles are attached to the upper robinia crossbeam by stainless steel hardware.

Item no. NRO862-1001

## Installation Information

Max. fall height	189 cm
Safety surfacing area	61.1 m <sup>2</sup>
Total installation time	14.1
Excavation volume	1.51 m <sup>3</sup>
Concrete volume	0.91 m <sup>3</sup>
Footing depth (standard)	100 cm
Shipment weight	760 kg
Anchoring options	In-ground ✓




The Robinia wood can be supplied as untreated raw wood or painted with a brown coloured transparent pigment that maintains the golden wood colour of the wood.



# Sustainability Data

NRO862



Cradle to Gate A1-A3	Total CO <sub>2</sub> emission	CO <sub>2</sub> e/kg	Recycled materials
	kg CO <sub>2</sub> e	kg CO <sub>2</sub> e/kg	%
<b>NRO862-1001</b>	209.10	0.35	2.90

The overall framework applied for these factors is the Environmental Product Declaration (EPD), which quantifies "environmental information on the life cycle of a product and enable comparisons between products fulfilling the same function" (ISO, 2006). This follows the structure and applies a Life-Cycle Assessment approach to the entire Product stage from raw material through manufacturing (A1-A3))

**Kompan A/S**  
 C.F. Tietgens Boulevard 32C  
 DK-5220 Odense SØ  
 Denmark



## Verification of CO<sub>2</sub> calculation of: Nature play



Data version no. 2023-10-05

The CO<sub>2</sub> calculation and data are in compliance with the principles of a carbon footprint impact according to the GHG protocol (Greenhouse Gas Protocol), Scope 3, cradle to gate related to all individual components in the product category: "Nature play" represented by item no.: NRO409-0621.

(Scope 3 emissions include emission sources in the upstream and downstream value chain).

**Date: 30. October 2023 | Valid until: 30. October 2025**

Verified by:

Julie Marie Vejsgaard Larsen, LCA & EPD Consultant

Verification based on report: Validation of CO<sub>2</sub> calculation of 9 categories of Kompan product line, version 1.0, prepared by: Bureau Veritas HSE, Denmark: Julie M. V. Larsen.

**Publication date: 30. October 2023**

By Bureau Veritas HSE  
 www.bureauveritas.dk  
 +45 7731 1000




# Agility Trail 3


NRO862

\* Max fall height | \*\* Total height | \*\*\* Safety surfacing area

\* Max fall height | \*\* Total height



NRO862  
\*189cm  
\*\*240cm  
\*\*\*61.1'



[Click to see TOP VIEW](#)

[Click to see SIDE VIEW](#)