## Super Combi 1

FSW248



Item no. FSW24800-0901				
General Product Information				
Dimensions LxWxH	484x550x325 cm			
Age group	13+			
Play capacity (users)	11			
Color options				



Despite a compact footprint, the Super Combi 1 offers a lot of exercises for all muscle groups and difficulty levels. The step platforms are excellent for jumping, leg strength, and cardio exercises. The rings can be used for upper body strength exercises, stretching, and fun exercises like "skin the cat". The rope is designed for rope climbing training, with features that make it accessible to non-athletes as well. There is also a target shoot for fun slam-ball exercises. Finally, we have universal parallel bars that stimulate exercise creativity and can be used directly by wheelchair users.





## Super Combi 1

FSW248







Post are made of Ø101.6 x 2mm, pregalvanized carbon steel and powder coated, a great protection to all conditions.



Item no. FSW24800-0901					
Installation Information					
Max. fall height	2	200 cm			
Safety surfacing area	4	5.0 m²			
Total installation time		10.0			
Excavation volume	C	).71 m³			
Concrete volume	C	).44 m³			
Footing depth (standard)		90 cm			
Shipment weight		554 kg			
Anchoring options	In-ground	~			
	Surface	~			









## **Sustainability Data**

FSW248




Cradle to Gate A1-A3	Total CO₂ emission	CO₂e/kg	Recycled materials
	kg CO₂e	kg CO₂e/kg	%
FSW24800-0901	842.24	2.36	57.47

The overall framework applied for these factors is the Environmental Product Declaration (EPD), which quantifies "environmental information on the life cycle of a product and enable comparisons between products fulfilling the same function" (ISO, 2006). This follows the structure and applies a Life-Cycle Assessment approach to the entire Product stage from raw material through manufacturing (A1-A3))



**Kompan A/S** C.F. Tietgens Boulevard 32C DK-5220 Odense SØ Denmark







## Data version no. 2023-10-05

The  $CO_2$  calculation and data are in compliance with the principles of a carbon footprint impact according to the GHG protocol (Greenhouse Gas Protocol), Scope 3, cradle to gate related to all individual components in the product category: "Fitness" represented by item no.: FAZ10100-0900.

(Scope 3 emissions include emission sources in the upstream and downstream value chain).

Date: 30. October 2023 | Valid until: 30. October 2025 Verified by:

mais

Julie Marie Vejsgaard Larsen, LCA & EPD Consultant

Verification based on report: Validation of CO<sub>2</sub> calculation of 9 categories of Kompan product line, version 1.0, prepared by: Bureau Veritas HSE, Denmark: Julie M. V. Larsen.

Publication date: 30. October 2023



**By Bureau Veritas HSE** 

www.bureauveritas.dk

+45 7731 1000





FSW248



\* Max fall height | \*\* Total height | \*\*\* Safety surfacing area

\* Max fall height | \*\* Total height





Click to see TOP VIEW

4 / 09/13/2024