Boogie Spinner™

ELE400068



Item no. ELE400068-3217RE		
General Product Information		
Dimensions LxWxH	123x124x129 cm	
Age group	6+	
Play capacity (users)	4	
Colour options		





The whimsical shape and great fun of the Boogie Spinner attracts children again and again. The novel movements, a tilting effect in combination with rotation, evoke the children's sense of wonder and are stomach-tickling fun. Responsive to the children's movements, it spins when pushed and pulled, training arms and leg muscles. When holding tight to the handle children train their core muscles and arm muscles. The rotating movement trains the sense of space and balance, which is fundamental for all other motor skills and motor control. The Boogie Spinner's roomy platform encourages social interaction with fun negotiation, turn-taking, and cooperation. The Boogie Spinner facilitates thrilling play and

social play.

Boogie Spinner™

ELE400068



Curved platform

Physical: trains the sense of balance and space as well as the children's upper and lower body muscle strength and bone density when they hold tight or jump on and off. Social-Emotional: the horizontal surface allows for more children playing and sharing, training cooperation and negotiation skills as well as building up self-confidence and empathy.





Tilting

Physical: coordination and balance are supported when spinning. Leg, core and arms are trained when pushing, pulling or coordinating the Boogie Spinner into motion. When jumping on and off, bone density is strengthened. Bone density for life is mainly built up during childhood. **Social-Emotional:** cooperation, consideration and turn-taking. **Cognitive:** logical thinking, figuring out how to make rotation, speeding up or slowing down the spin.



Handhold Physical: opens more hold positions and ensures good grip, necessary for rocking intensely which trains hand and arm muscles.

KOMP

Let's play

Boogie Spinner™



ELE400068





Kompan has designed the Boogie Spinner with

non-slip surface which makes the Spinner safe

and extremely user friendly.

a soft, shock absorbent 360-degree bumper with



The central part of the Boogie Spinner is made of recyclable polyethylene (PE) made from 33% post-consumer materials and is rotomoulded in one piece with integrated metal thread bushings and water drain holes to ensure high durability in all climates around the world.

Item no. ELE400068-3217RE			
Installation Information			
Max. fall height	10	0 cm	
Safety surfacing area	25	.0 m²	
Total installation time	2.3 ł	nours	
Excavation volume	0.44 m³		
Concrete volume	0.24 m³		
Footing depth (standard)	90 cm		
Shipment weight	22	27 kg	
Anchoring options	In-ground	~	
	Surface	~	
Warranty Information			
Hollow PE parts	10 years		
Galvanised Steel	Lifetime		
Movable Parts	2 years		
Spare Parts Guarantee	10 years		

The Boogie Spinner is mounted with a double bearing meaning that it can move from side to side while spinning, creating an extra challenge. To ensure safety, the Spinner is equipped with a 360-degree metal handle on top, as well as a non-slip standing surface.



The steel surfaces are hot-dip galvanised inside and outside with lead-free zinc. The galvanisation has excellent corrosion resistance in outside environments and requires low maintenance.



Heavy-duty engineered bearing system with single row deep groove ball bearings with rubber seals. The fully closed bearing has lifetime lubricated and maintenance free.



The Boogie Spinner will be available in five different Kompan colours which are Red, Green, Blue, Beige and Teal.



Sustainability Data

Cradle to Gate A1-A3

ELE400068-3217RE

ELE400068



Kompan A/S C.F. Tietgens Boulevard 32C DK-5220 Odense SØ Denmark



Verification of CO₂ calculation of: Freestanding play equipment



Data version no. 2023-10-05

The CO_2 calculation and data are in compliance with the principles of a carbon footprint impact according to the GHG protocol (Greenhouse Gas Protocol), Scope 3, cradle to gate related to all individual components in the product category: "Freestanding play equipment" represented by item no.: GXY916012-3417.

(Scope 3 emissions include emission sources in the upstream and downstream value chain).

Date: 30. October 2023 | Valid until: 30. October 2025 Verified by:

mais

Julie Marie Vejsgaard Larsen, LCA & EPD Consultant

Verification based on report: Validation of CO₂ calculation of 9 categories of Kompan product line, version 1.0, prepared by: Bureau Veritas HSE, Denmark: Julie M. V. Larsen.

Publication date: 30. October 2023

By Bureau Veritas HSE www.bureauveritas.dk +45 7731 1000



The overall framework applied for these factors is the Environmental Product Declaration (EPD), which quantifies "environmental information on the life cycle of a product and enable comparisons between products fulfilling the same function" (ISO, 2006). This follows the structure and applies a Life-Cycle Assessment approach to the entire Product stage from raw material through manufacturing (A1-A3))

Total CO2

emission

kg CO₂e

296.58

CO2e/kg

kg CO₂e/kg

3.09

Recycled

materials

%

35.69





ELE400068

* Max fall height | ** Total height | *** Safety surfacing area



* Max fall height | ** Total height





ELE400068

Click to see TOP VIEW

Click to see SIDE VIEW

5 / 06/20/2025