
NRO809





The Triple Somersault Bars are playground favourites, and children absolutely love playing on them! The Somersault bars cater for a range of play activities from hanging by the arms, which train upper body muscles, to sitting on the bars with friends developing sharing and social skills. Three bars are provided for large numbers, and varied ability levels. These

somersault bars are made of Robinia timber, which provide an organic structure that can either blend into or stand out from your surrounds. Children can touch and feel the timber while playing, observing how nature inspiration interacts with the built environment.









NRO809





#### Somersault bar


Physical: develop balance, spatial awareness, core, arm and leg muscles, when climbing up and hanging. Social-Emotional: meeting, socialising and turn-taking when climbing up and down via bar.



NRO809









The turnbars are made of high-quality stainless steel to ensure the durability of the product.



The Robinia wood can be supplied as untreated raw wood or painted with a brown coloured transparent pigment that maintains the golden wood colour of the wood.

Item no. NRO809-1001			
Installation Information			
Max. fall height		111 cm	
Safety surfacing area		18.2 m²	
Total installation time		3.4	
Excavation volume		0.28 m³	
Concrete volume		0.05 m³	
Footing depth (standard)		100 cm	
Shipment weight		170 kg	
Anchoring options	In-grou	nd 🗸	
	Surface		
Warranty Information			
Robinia Wood		15 years	
Spare Parts Guarantee		10 years	
Stainless Steel Components		Lifetime	
Stainless Steel Components		Lifetime	



## **Sustainability Data**

NRO809





Cradle to Gate A1-A3	Total CO <sub>2</sub> emission	CO₂e/kg	Recycled materials
	kg CO₂e	kg CO₂e/kg	%
NRO809-1001	46.38	0.34	2.16

The overall framework applied for these factors is the Environmental Product Declaration (EPD), which quantifies "environmental information on the life cycle of a product and enable comparisons between products fulfilling the same function" (ISO, 2006). This follows the structure and applies a Life-Cycle Assessment approach to the entire Product stage from raw material through manufacturing (A1-A3))

#### Kompan A/S

C.F. Tietgens Boulevard 32C DK-5220 Odense SØ Denmark



#### Verification of CO<sub>2</sub> calculation of: Nature play



Data version no. 2023-10-05

The  $\mathrm{CO}_2$  calculation and data are in compliance with the principles of a carbon footprint impact according to the GHG protocol (Greenhouse Gas Protocol), Scope 3, cradle to gate related to all individual components in the product category: "Nature play" represented by item no.: NRO409-0621.

(Scope 3 emissions include emission sources in the upstream and downstream value chain).

Date: 30. October 2023 | Valid until: 30. October 2025 Verified by:

misiE

Julie Marie Vejsgaard Larsen, LCA & EPD Consultant

Verification based on report: Validation of  $CO_2$  calculation of 9 categories of Kompan product line, version 1.0, prepared by: Bureau Veritas HSE, Denmark: Julie M. V. Larsen.

Publication date: 30. October 2023

By Bureau Veritas HSE
www.bureauveritas.dk
+45 7731 1000









\* Max fall height | \*\* Total height | \*\*\* Safety surfacing area

\* Max fall height | \*\* Total height





Click to see TOP VIEW

Click to see SIDE VIEW