Multi Net

FRE3031



Item no. FRE3031-3417		
General Product Information		
Dimensions LxWxH	10x1510x261 cm	
Age group	3+	
Play capacity (users)	-	
Colour options	•	



Stand alone multi sport nets can be used for all kinds of net games. Tennis, badminton, volleyball and kids own invented games.




Data is subject to change without prior notice.

Multi Net

FRE3031



10 years







The net is secured with rope clamps (DIN741) at the top using a 3mm steel cable which is covered with 1mm Green tubing. The cable ends are closed using an aluminum talorit creating a fastening loop with a diameter of 10mm.

Nets and ropes are made of UV-stabilised PA with inner steel cable reinforcement. The rope is induction treated in order to create a strong connection between steel and rope which leads to good wear resistance.

All steel components are manufactured from carbon steel, welding's according EN ISO 5817 & Hot dip galvanised (HDG) according to ISO1461. This process ensures good protection in all circumstances.

Item no. FRE3031-3417		
Installation Information		
Max. fall height	0 cm	
Safety surfacing area	0.0 m²	
Total installation time	0.9	
Excavation volume	0.22 m³	
Concrete volume	0.22 m³	
Footing depth (standard)	70 cm	
Shipment weight	62 kg	
Anchoring options	In-ground 🗸	
Warranty Information		
HDG post	Lifetime	

Pole tops are molded of thermoplastic rubber (TPV) with a steel inlay. TPV is highly durable against wear and tear, and the steel inlay secures durability.



Spare parts guaranteed

Sustainability Data

Cradle to Gate A1-A3

FRE3031-3417

FRE3031



Kompan A/S C.F. Tietgens Boulevard 32C DK-5220 Odense SØ Denmark



Verification of CO_2 calculation of: Sport



Data version no. 2023-10-05

The CO_2 calculation and data are in compliance with the principles of a carbon footprint impact according to the GHG protocol (Greenhouse Gas Protocol), Scope 3, cradle to gate related to all individual components in the product category: "Sport" represented by item no.: FRE600202-0901.

(Scope 3 emissions include emission sources in the upstream and downstream value chain).

Date: 30. October 2023 | Valid until: 30. October 2025 Verified by:

Simo

Julie Marie Vejsgaard Larsen, LCA & EPD Consultant

Verification based on report: Validation of CO₂ calculation of 9 categories of Kompan product line, version 1.0, prepared by: Bureau Veritas HSE, Denmark: Julie M. V. Larsen.

Publication date: 30. October 2023

By Bureau Veritas HSE www.bureauveritas.dk +45 7731 1000



The overall framework applied for these factors is the Environmental Product Declaration (EPD), which quantifies "environmental information on the life cycle of a product and enable comparisons between products fulfilling the same function" (ISO, 2006). This follows the structure and applies a Life-Cycle Assessment approach to the entire Product stage from raw material through manufacturing (A1-A3))

Total CO2

emission

kg CO₂e

148.94

CO2e/kg

kg CO₂e/kg

2.55

Recycled

materials

%

46.09

Multi Net

FRE3031

* Max fall height | ** Total height | *** Safety surfacing area

* Max fall height | ** Total height

