M190





Item no. M19001-01P

General Product Information

Dimensions LxWxH 42x118x60 cm
Age group 1+
Play capacity (users) 2
Colour options











The Pony Seesaw is a wow play event for young toddlers. Rocking on the Pony Seesaw is a thrilling physical and social activity for young children. There is even room in the middle, so that three, four, or more children can play. Rocking is not only fun. It stimulates physical, social-emotional, and cognitive skills. The seesaw responds to children's

movements, which helps to develop spatial awareness and a sense of balance. These are fundamental motor skills that help the child move confidently and for instance, sit still on a chair. The responsive movements also help children to be aware of cause and effect. This builds the fundament for logical thinking. The cooperation and turn-taking in seesawing build

social skills and a beginning understanding of the theory of mind; that others may want different things from you.



M190







### Handhold

Physical: opens more hold positions and ensures good grip, necessary for rocking intensely which trains hand and arm muscles.





#### Theme

Cognitive: suggests a theme and supports dramatic play, which stimulates language and communication skills.





Rocking together Social-Emotional: the possibility of rocking two together trains cooperation skills and consideration of others.







### Rocking movement

Physical: response to movements adds to spatial awareness and sense of balance which are fundamental motor skills. Cognitive: trains the understanding of cause and effect: when I move my body, the spring responds with movement.

M190











Panels of 19mm EcoCore™. EcoCore™ is a highly durable, eco-friendly material, which is not only recyclable after use but also consists of a core produced from 100% recycled material.

Seat is made of HPL with a thickness of 17.8mm with a very high wearing strength and a unique KOMPAN nonskid surface texture.

The rocking movement over axis is made by heavy duty scaled ROSTA torsion spring element. The ROSTA element operates quietly and requires low maintenance.

Item no. M19001-01P			
Installation Information			
Max. fall height		60 cm	
Safety surfacing area		9.2 m²	
Total installation time	2.8	hours	
Excavation volume	0.12 m³		
Concrete volume	0.00 m³		
Footing depth (standard)		44 cm	
Shipment weight		32 kg	
Anchoring options	In-ground	•	
	Surface	~	
Warranty Information			
EcoCore HDPE	Lifetime		
Galvanised Steel	Lifetime		
Spare Parts Guarantee	10 years		
Springs	5 years		





Handholds are made of injection moulded highquality nylon (PA6) which has good wearing and impact strength.

The steel surfaces are hot-dip galvanised inside and outside with lead-free zinc. The galvanisation has excellent corrosion resistance in outside environments and requires low maintenance.



# **Sustainability Data**

M190





Cradle to Gate A1-A3	Total CO₂ emission	CO₂e/kg	Recycled materials
	kg CO₂e	kg CO₂e/kg	%
M19001-01P	83.69	3.15	28.46


The overall framework applied for these factors is the Environmental Product Declaration (EPD), which quantifies "environmental information on the life cycle of a product and enable comparisons between products fulfilling the same function" (ISO, 2006). This follows the structure and applies a Life-Cycle Assessment approach to the entire Product stage from raw material through manufacturing (A1-A3))

#### Kompan A/S

C.F. Tietgens Boulevard 32C DK-5220 Odense SØ Denmark



### Verification of CO<sub>2</sub> calculation of: Themed play systems



Data version no. 2023-10-05

The  $\mathrm{CO}_2$  calculation and data are in compliance with the principles of a carbon footprint impact according to the GHG protocol (Greenhouse Gas Protocol), Scope 3, cradle to gate related to all individual components in the product category: "Themed play systems" represented by item no.: MSC641100-3717P.

(Scope 3 emissions include emission sources in the upstream and downstream value chain).

Date: 30. October 2023 | Valid until: 30. October 2025 Verified by:

mode

Julie Marie Vejsgaard Larsen, LCA & EPD Consultant

Verification based on report: Validation of  ${\rm CO_2}$  calculation of 9 categories of Kompan product line, version 1.0, prepared by: Bureau Veritas HSE, Denmark: Julie M. V. Larsen.

Publication date: 30. October 2023

By Bureau Veritas HSE www.bureauveritas.dk +45 7731 1000









\* Max fall height | \*\* Total height | \*\*\* Safety surfacing area

\* Max fall height | \*\* Total height





Click to see TOP VIEW

Click to see SIDE VIEW