

Indoor, T10

PBI100101

KOMPAN®



Children are hugely attracted to this active PlayBox unit thanks to the den-like entrance: Cozy curtains and a sturdy, softly inclined climbing wall invites for fast loops up, going down again on the slide. This active play in a KOMPAN Play Institute survey took up the first 15 minutes of playtime for children. More explorative play takes place on the 2nd floor, at


which differently suspended soft noodles invite rough-and-tumble and explorative play with their light-weight, rubbery feel. The horizontal roller invites balancing games. The sightlines, thanks to the see-through panels, makes the stay feel secure for children and care-givers alike. The loops of activity and the rough-and-tumble exploration help children

develop their motor skills and muscles, training the senses of balance and space as well as their self-esteem and turn-taking skills through fun play.

产品编号 PBI100101-0001

产品信息概览

长宽高尺寸	185x305x216 cm
适用年龄段	3+
容纳人数	6
颜色选择	



Indoor, T10

PBI100101



滑梯

身体素质: 玩滑梯可以培养空间感和平衡感。此外,在直立向下坐时,核心肌肉也能得到锻炼。**社交情感:** 轮流玩耍时可激发同理心。**认知能力:** 幼儿在快速滑下时可训练对空间、速度和距离的理解。



攀爬把手

身体素质: 锻炼身体敏捷性和跨体协调性、空间感,这些对于身体在空间中的移动都很重要。推、拉和使用手指、手臂、腿部和核心部位可以增强肌肉力量。



无障碍坡道

身体素质: 训练交叉协调能力以及腿部、手臂和手部力量。**社交情感:** 对年幼的孩子来说,绳网的倾斜度让攀爬更具安全感。



Membrane flap

社交情感: 在与另一侧的朋友玩耍时培养合作和轮流意识。**认知能力:** 对物体永恒性的理解:事物可以消失,但不会永远消失。这是一种重要的洞察力。



Roller horizontal

身体素质: The Horizontal Roll challenges children's balance and coordination as they crawl, push or roll over them. It is a full-body coordination challenge that develops muscle and motor skills.**社交情感:** socializing and turn-taking when deciding who should go next.



Hanging noodles

身体素质: meandering through the hanging noodles develops children proprioception and sensory skills.**社交情感:** socializing, turn-taking and consideration when passing each other.**认知能力:** 对物体永恒性的理解:事物可以消失,但不会永远消失。这是一种重要的洞察力。



Elastic noodles

身体素质: The elastic passage builds balance, coordination, and core strength. Its flexible bands encourage children to test their agility, plan movements, and develop movement confidence.**社交情感:** socializing, turn-taking and consideration when passing each other.

Indoor, T10

PBI100101




Our panels are made from HPL or PC, offering excellent resistance to vandalism and wear. With high UV protection for outdoor use, they retain their appearance and play value over time.



Children should be free to play without restraints; safety remains our top priority. All soft play elements are designed to meet the highest global standards and regulations for materials.



Blow molded decks in PP material with non-skid surface texture, climbing handholds and multiple attachment options for play activities.



Pre-galvanized steel tubes with a powder-coated finish ensure exceptional lifetime and low maintenance over time.



UV-stabilized PES polyester rope with EcoYarn™ of 95% post consumer recycled material.



Our slides are made from durable polyethylene. Thanks to our expertise in rotational molding, they are designed to be both safe and enjoyable, delivering a smooth, fast ride for all ages.

产品编号 PBI100101-0001	
安装信息	
最大跌落高度	100 cm
安全面积	0.0 m²
安装总时长	28.6 小时
开挖量	0.00 m³
混凝土使用量	0.00 m³
标准入地深度	0 cm
运输重量	470 kg
固定选项	地表 ✓
质保信息	
PP 板	10 年
绳网	10 年
HPL Panels	5 年
Soft Activities	5 年
承保零部件	10 年

**EN
1176**
compliant



Independent review certificate

Kompan A/S
C. F. Tietgens Blvd. 32C, 5220 Odense SØ

Bureau Veritas hereby attests that the CO₂e-calculations (covering materials, processing, waste and transport) done by Kompan for "Play Systems", meet the requirements set by the listed standard.

Kompan A/S uses a selection of EPDs and emission factors from the Life Cycle Assessment database Ecoinvent 3.11. These values are reported as kg CO₂e, with all other impact categories excluded in line with the scope of ISO 14067:2018. The emission factors cover, material use, manufacturing processes, transport to Kompan, and electricity used during manufacturing. The presented emissions fall under GHG Protocol scope 3 emissions. Scope 1 and 2 are not presented. Scope 3 emissions include emission sources in the upstream value chain of a company, downstream emissions are excluded in this analysis.

Method: ISO 14067:2018 using GHG protocol guidance documents, reported as kg CO₂e.

Object

The verification has been done on the one pager "PCM310921-0905" version: 27-10-2025. The supporting documentation "KOMPAN data_updated emissions factors_2025_V2" and "Emissions factors, EPD's and ecoinvent 3.11_2025" was also reviewed and approved.

Declaration

The verification has been completed as a critical review with a limited assurance. I hereby confirm that nothing has come to the reviewer's attention which would lead to conclude that the study does not give an accurate depiction or isn't completed following method of the CO₂e calculation, the requirements of ISO 14067:2018, and 14071:2024, in the above referenced documentation.

Note: This verification only covers calculation elements according to method described in ISO 14067:2018 and may not be seen as a Life Cycle Assessment according to ISO 14067:2018.

Ref.: Kompan_Verification report 2025, 28-10-2025
Date of certificate: 29-10-2025
Expire date: 29-10-2027

Verified by: Julie Marie Vejsgaard Larsen, Environmental Auditor

Signature: 

从原材料到成品	CO ₂ 排放总量	CO ₂ 排放量 / 千克	回收的原料
	kg CO ₂ e	kg CO ₂ e/kg	%
PBI100101-0001	1,963.50	4.73	15.31

这些因素采用的总体框架为环保产品声明（EPD），该声明可量化“产品生命周期的环保信息，并对相同功能的产品进行对比”（ISO, 2006）。在遵循该框架的同时，对从原材料到制造的整个产品阶段（A1-A3）应用生命周期评估法。


Indoor, T10

PBI100101




最大跌落高度 | 总高度 | 安全区域

最大跌落高度 | 总高度



PBI100101
*100cm
**216cm



[点击查看俯视图](#)

[点击查看侧面图](#)