
Giant Dome

CRP815001



| Item no. CRP815001-0402 | | | |
|-----------------------------|---------------------|--|--|
| General Product Information | | | |
| Dimensions LxWxH | 39'11"x34'11"x20'3" | | |
| Age group | 5 - 12 | | |
| Play capacity (users) | 90 | | |
| Color options | | | |





The Giant Dome adds a striking WOW factor to any play space, offering a wide variety of activities that invite climbing, gliding, bouncing, and swaying, ensuring hours of engagement. On the ground level, horizontal and vertical swaying ropes encourage climbing, while triangles and play shells provide cozy spots for hanging out solo or with friends. As children

scale the structure, the excitement grows along with the skills they develop. The climb supports key social-emotional skills like empathy, cooperation, self-regulation, and a sense of achievement. Physically, children build crucial strength and cross-coordination abilities. With its rich blend of active and social play, the Giant Dome will keep kids coming back again and again.

Giant Dome

CRP815001





Giant dome net

Physical: the connected nets make the climbers feel the movements of the others, adding a dimension of fun and demanding concentration when holding tight to the rope. Cross-coordination and all muscle groups are trained. Social-Emotional: the climbers' movements affect the other climbers. Room for breaks for many and support cooperation and turn-taking skills. The transparent design enables communication and orientation across the unit.





Various membranes

Physical: the bouncy membranes develop the sense of balance when the child stands, steps or sits there. Cross coordination and proprioception when crawling through. Social-Emotional: great point for a break or meeting with friends. Showing consideration of others and helping others when passing one another going up or down the membranes.



Coconut rope

Physical: balance and coordination is supported when walking the swaying rope. A good sense of balance transfers to other skills such as sitting still on a chair. Bone density is developed when jumping off. Social-Emotional: children swaying together on the rope experience their own and others' movements. This spurs cooperation and consideration, e.g. when passing others on the rope.



Play shell

Physical: the swaying movement stimulates the sense of balance, necessary to sit still on a chair. Social-Emotional: meeting, taking a break and turn-taking are supported, skills necessary to learn how to avoid conflicts.

Ropes with rubber discs

Physical: children develop cross-body coordination and muscle strength when stepping onto the disc and climbing the rope. Their sense of balance is trained when swaying gently. The sense of balance is important for instance for being able to sit still. Social-Emotional: socializing and turn-taking when deciding who should sit here.



Physical: coordination and proprioception are

correctly for going down. Sense of balance

Social-Emotional: empathy stimulated by

when rotating. Arm muscles for holding tight.

turn-taking. Cognitive: logical thinking when

supported when placing arms and legs

placing arms and legs right for rotating

Curly climber

downward.

Hammock

Physical: coordination and sense of balance when swaying. **Social-Emotional:** meeting, pushing friends gently back and forth, turntaking.

Giant Dome



CRP815001



The metal parts are made of high quality steel, hot dip galvanized inside and outside with leadfree zinc. On the outside, there is an additional layer of powder coating. This ensures both excellent corrosion resistance and colorful design expression.




Corocord 'S' clamps are used as universal connections in Corocord products. 8mm stainless steel rods with rounded edges are pressed around the ropes with a special hydraulic press, making them the ideal connector: safe, durable and vandalism-proof, all while allowing the typical movement of rope play structures.



The COROCORD Frame Nets are available in 6 galactic color themes. The themes draw on bright colors that appeal to children of all ages. Can be changed in the configurator.

| Item no. CRP815001-0402 | | | | |
|--------------------------|-----------|-------------------|--|--|
| Installation Information | | | | |
| Max. fall height | | 8'6" | | |
| Safety surfacing area | 16 | 29ft ² | | |
| Total installation time | | 82.6 | | |
| Excavation volume | 22.4 | 1yd³ | | |
| Concrete volume | | i4yd³ | | |
| Footing depth (standard) | | 2'11" | | |
| Shipment weight | 842 | 25lbs | | |
| Anchoring options | In-ground | ~ | | |

| Warranty Information | |
|--------------------------|----------|
| Corocord Rope | 10 Years |
| Membrane | 2 Years |
| Painted toplayer | 10 Years |
| S-Clamps | 10 Years |
| Spare Parts Availability | 10 Years |



Corocord membranes consist of friction-proof rubberized material of conveyor belt quality with excellent UV resistance. Tested and compliant with REACH requirements for PAH. Embedded is a four-layered armoring made of woven polyester. The armoring and the two surface layers result in a total thickness of 7.5 mm.



Corocord ropes with 19mm diameter or more are special 'Hercules' - type with galvanized sixstranded steel wires. Each strand is tightly wrapped with PES yarn, which is melted onto each individual strand. The ropes are highly wear-and vandalism-resistant and can be replaced at site if needed.



As an option, sunshading can be integrated into the Giant Dome. The lightweight, durable and semitransparent tissue perfectly complements the colorful design, while blocking up to 79% of solar radiation and protecting the children.

| Elevated activities | Accessible elevated activities | Accessible ground level activities | Accessible ground level play types |
|---------------------|--------------------------------------|---|---|
| Present | | | |
| Required | | | |
| | | | |

ASTM F1487 compliant

Sustainability Data

CRP815001



| Cradle to Gate A1-A3 | Total CO ₂ emission | CO₂e/kg | Recycled materials |
|----------------------|--------------------------------|------------|--------------------|
| | kg CO₂e | kg CO₂e/kg | % |
| CRP815001-0402 | 9,953.85 | 3.25 | 46.19 |

The overall framework applied for these factors is the Environmental Product Declaration (EPD), which quantifies "environmental information on the life cycle of a product and enable comparisons between products fulfilling the same function" (ISO, 2006). This follows the structure and applies a Life-Cycle Assessment approach to the entire Product stage from raw material through manufacturing (A1-A3))



Kompan A/S C.F. Tietgens Boulevard 32C DK-5220 Odense SØ Denmark



Verification of CO₂ calculation of: Corocord



Data version no. 2023-10-05

The CO_2 calculation and data are in compliance with the principles of a carbon footprint impact according to the GHG protocol (Greenhouse Gas Protocol), Scope 3, cradle to gate related to all individual components in the product category: "Corocord" represented by item no.: COR314011-1101.

(Scope 3 emissions include emission sources in the upstream and downstream value chain).

Date: 30. October 2023 | Valid until: 30. October 2025 Verified by:

mini

Julie Marie Vejsgaard Larsen, LCA & EPD Consultant

Verification based on report: Validation of CO₂ calculation of 9 categories of Kompan product line, version 1.0, prepared by: Bureau Veritas HSE, Denmark: Julie M. V. Larsen.

Publication date: 30. October 2023



By Bureau Veritas HSE

www.bureauveritas.dk


+45 7731 1000




CRP815001



* Max fall height | ** Total height





CRP815001

Click to see TOP VIEW

Click to see SIDE VIEW

5 / 03/05/2025