### Barn

PCM51421





Item no. PCM51421-0901


General Product Information

Dimensions LxWxH 477x411x338 cm

Age group 2+

Play capacity (users) 17

Colour options





The Barn with its farm themed illustrations is a fabulous dramatic and physical play unit for all younger children. The variety of manipulative and fun physical activities on each level supports dramatic play scenarios. Varied climbing, crawling, swaying and sliding activities attract children and ensure physical activity that trains important motor skills and

major muscles. Inclined net and stair entryways make for a secure, yet fun access to the unit while training cross-coordination, building body confidence and ultimately stimulateing cross-modal perception. The slide and double slide vary the choice of descent. And on ground level, a desk and hammock under the platform make for an attractive gathering point,

supporting children's social-emotional skills. Dramatic play is a favorite play type for younger children, and in the case of the Barn, storytelling themes of house, farm and production can be enjoyed time after time.



## Barn

PCM51421





#### Fireman's pole

Physical: supports coordination, arm and core muscles. Landing strengthens bone density. Social-Emotional: turn-taking and risk-taking. Cognitive: young children develop their understanding of space, speed and distances when gliding down fast.







#### Theme

Cognitive: suggests a theme and supports dramatic play, which stimulates language and communication skills.



Hammock









Physical: coordination and sense of balance Social-Emotional: fine meeting place and a when swaying. Social-Emotional: meeting, space creator. Sharing and cooperation from pushing friends gently back and forth, turnboth sides to create a social scenario that taking. Cognitive: for toddlers 'cause and supports communication and cooperation. effect' understanding.



#### Double slide

Physical: develops spatial awareness, sense of balance and trains core muscles when sitting upright going down. Social-Emotional: invites socialising, supports parent-child and peer-to-peer play. Cognitive: young children train their understanding of space, speed and distances when sliding down.



#### Climbing net

Physical: supports physical strength and cross-body coordination, which impacts coordination of the right and left part of brain.









Tic-tac-toe panel

Social-Emotional: stimulates communication and turn-taking skills. Cognitive: support rules understanding, strategic thinking. Creative: leaving marks when tumblers are left in new positions.

### Barn

PCM51421



10 years

10 years

10 years 10 years




Panels of 19mm EcoCore™. EcoCore™ is a highly durable, eco-friendly material, which is not only recyclable after use but also consists of a core produced from 100% recycled material.



Main posts with hot-dip galvanised steel footing are pre-galvanised inside and outside with powder-coated top finish.



All decks are supported by unique designed low-carbon aluminum profiles with multiple attachment options. The grey colored molded decks are made of 75% post-consumer waste PP material with a non-skid pattern and texture surface.



Hollow PE parts

Spare Parts Guarantee

Post

PP Decks


Max. fall height	1	18 cm	
Safety surfacing area	3	6.4 m²	
Total installation time		20.9	
Excavation volume	1	.00 m³	
Concrete volume	0	.96 m³	
Footing depth (standard)		90 cm	
Shipment weight	8	326 kg	
Anchoring options	In-ground	•	
	Surface	~	
<b>Warranty Information</b>			
EcoCore HDPE	Li	fetime	



Panels are manufactured from high-quality polycarbonate with a thickness of 15mm. The graphic prints are added by a unique multi-layer print process where the inner layer is the image and outer transparent layer functions as protection. Both PC panel and the water-based lacquer are UV stabilised to prevent fading.



The slides are available in either moulded PE in different colours or in full stainless steel -AISI304 t= 2mm.



The stainless steel activities are made of highquality stainless steel. The steel is glass blasted after manufacturing to ensure a smooth gliding surface.



# **Sustainability Data**

PCM51421





Cradle to Gate A1-A3	Total CO <sub>2</sub> emission	CO₂e/kg	Recycled materials
	kg CO₂e	kg CO₂e/kg	%
PCM51421-0901	1,461.35	2.44	55.42

The overall framework applied for these factors is the Environmental Product Declaration (EPD), which quantifies "environmental information on the life cycle of a product and enable comparisons between products fulfilling the same function" (ISO, 2006). This follows the structure and applies a Life-Cycle Assessment approach to the entire Product stage from raw material through manufacturing (A1-A3))

#### Kompan A/S

C.F. Tietgens Boulevard 32C DK-5220 Odense SØ Denmark



### Verification of CO<sub>2</sub> calculation of: Play systems



Data version no. 2023-10-05

The CO<sub>2</sub> calculation and data are in compliance with the principles of a carbon footprint impact according to the GHG protocol (Greenhouse Gas Protocol), Scope 3, cradle to gate related to all individual components in the product category: "Play systems" represented by item no.: PCM200321-0950.

(Scope 3 emissions include emission sources in the upstream and downstream value chain).

Date: 30. October 2023 | Valid until: 30. October 2025 Verified by:

Julie Marie Vejsgaard Larsen, LCA & EPD Consultant

Verification based on report: Validation of CO<sub>2</sub> calculation of 9 categories of Kompan product line, version 1.0, prepared by: Bureau Veritas HSE, Denmark: Julie M. V. Larsen.


Publication date: 30. October 2023






\* Max fall height | \*\* Total height | \*\*\* Safety surfacing area

\* Max fall height | \*\* Total height





Click to see TOP VIEW Click to see SIDE VIEW