MSC6422





Item no. MSC642200-3717P

General Product Information

Dimensions LxWxH 621x902x405 cm

Age group 2+

Play capacity (users) 34

Colour options



WOW! The Story Makers Castle is a true play invitation for all. It appeals to children's dramatic play instincts with its richness of varied, accessible play activities and its courtyard character. The Castle comes with a stage too, inviting play performances, all stimulating language development and cooperation. The rich variety of physical play:

sliding, rotating, climbing and crawling on varied levels of difficulty adds to the attraction and makes children come back again and again. These activities additionally train the cross-coordination and sense of balance, important for children's confidence in moving. Thanks to the two-sided panels and themes and the wide, accessible stairway, this is play

for all, all around the structure. The social play factor is immense, here all children can meet, greet and make common play stories.





MSC6422





Rock climber

Physical: supports cross coordination and leg, arm and hand strength. Social-Emotional: the inclination makes climbing feel secure, especially for younger children.





Slide

Physical: sliding develops spatial awareness and a sense of balance. Furthermore, the core muscles are trained when sitting upright going down. Social-Emotional: empathy stimulated by turn-taking. Cognitive: young children develop their understanding of space, speed and distances when sliding down guickly.







Binoculars

Cognitive: the binoculars set a tangible theme and thus spur dramatic play. Dramatic play is a great trainer of language and communication skills. Creative: the binoculars can be turned in all directions. Looking through them gives a new perspective on the world.



Megaphone



Social-Emotional: inspires communication

sound evokes curiosity and stimulates an

understanding of cause and effect.

and turn-taking skills. Cognitive: distortion of





supported when placing arms and legs correctly for going down. Sense of balance Social-Emotional: empathy stimulated by












Accessible stairway Physical: climbing the accessible stairway is for all and supports cross coordination as well as arm and leg muscles. For young children, walking stairs and alternating feet is developed. Social-Emotional: room for active breaks and adult helpers. An inclusive space.



Physical: coordination and proprioception are when rotating. Arm muscles for holding tight. turn-taking. Cognitive: logical thinking when placing arms and legs right for rotating downwards.



Physical: crawling trough the possible openings trains spatial awareness. Social-Emotional: the enclosed space invites social play for two or three children.







MSC6422






Panels of 19mm EcoCore™. EcoCore™ is a highly durable, eco friendly material, which is not only recyclable after use, but also consists of material produced from +95% recycled post consumer material from food packing waste.



All floors are made of High-Pressure Laminate HPL with a thickness 17.8mm and non skid surface texture according to EN 438-6. KOMPAN HPL has high wearing strength to ensure long lifetime in all climates.



Curved climbing wall is made of Ekogrip® panel that consist of a 15mm thick PE base with 3 mm top-layer of soft rubber with a non-skid effect.



Item no. MSC642200-3717P Installation Information

Installation Information				
Max. fall height	22	6 cm		
Safety surfacing area	74.	8 m²		
Total installation time		47.7		
Excavation volume	2.2	9 m³		
Concrete volume	0.0	0 m³		
Footing depth (standard)	9	0 cm		
Shipment weight	1,71	7 kg		
Anchoring options	In-ground	•		
	Surface	~		

Warranty Information EcoCore HDPE Lifetime Hot dip galvanised steel Lifetime HPL decks 15 years Ropes & nets 10 years Spare parts guaranteed 10 years



The slides can be chosen in different materials: Straight moulded PE slides or combined EcoCore™ sides and stainless steel slide bed t=2mm.



Climbing nets are made of UV-stabilised PP rope with inner steel cable reinforcement. The rope is induction treated to obtain maximum fixation between steel and rope which provides excellent wear and tear resistance. All rope connectors are made of 100% recyclable PA material.



The steel surfaces are hot dip galvanised inside and outside with lead free zinc. The galvanisation has excellent corrosion resistance in outside environments and requires low maintenance.



Sustainability Data

MSC6422





Cradle to Gate A1-A3	Total CO₂ emission	CO₂e/kg	Recycled materials
	kg CO₂e	kg CO₂e/kg	%
MSC642200-3717P	2,802.32	2.01	56.32


The overall framework applied for these factors is the Environmental Product Declaration (EPD), which quantifies "environmental information on the life cycle of a product and enable comparisons between products fulfilling the same function" (ISO, 2006). This follows the structure and applies a Life-Cycle Assessment approach to the entire Product stage from raw material through manufacturing (A1-A3))

Kompan A/S

C.F. Tietgens Boulevard 32C DK-5220 Odense SØ Denmark



Verification of CO₂ calculation of: Themed play systems



Data version no. 2023-10-05

The CO_2 calculation and data are in compliance with the principles of a carbon footprint impact according to the GHG protocol (Greenhouse Gas Protocol), Scope 3, cradle to gate related to all individual components in the product category: "Themed play systems" represented by item no.: MSC641100-3717P.

(Scope 3 emissions include emission sources in the upstream and downstream value chain).

Date: 30. October 2023 | Valid until: 30. October 2025 Verified by:

misi

Julie Marie Vejsgaard Larsen, LCA & EPD Consultant

Verification based on report: Validation of ${\rm CO_2}$ calculation of 9 categories of Kompan product line, version 1.0, prepared by: Bureau Veritas HSE, Denmark: Julie M. V. Larsen.

Publication date: 30. October 2023

By Bureau Veritas HSE
www.bureauveritas.dk
+45 7731 1000





MSC6422



* Max fall height | ** Total height | *** Safety surfacing area

* Max fall height | ** Total height





Click to see TOP VIEW

Click to see SIDE VIEW