## **Little Turtle's Town**

NRO4001





General Product Information

Dimensions LxWxH 671x529x281 cm
Age group 1+
Play capacity (users) 26
Color options



The Little Turtle's Town is an entire, intriguing world of toddler play that will attract and retain all toddlers in fun play again and again. The richness of play activities makes it fun to investigate and also supports multiple areas of child development. KOMPAN Play Institute research has documented, that the many manipulative details increase play retention. Additionally it supports dramatic play, which again supports language and communication skills for toddlers. In the Little Turtle's Town

toddlers can loop a variety of manipulative, themed play panels, using their gross and fine motor skills and muscles while doing so. The house themed unit and the manipulative details additionally support the emerging dramatic play in the toddlers. The scale of the Little Turtle's Town is perfectly shaped for toddlers. The bridge links offer balancing, bouncing and crawling experiences and all train the concept of being higher than and lower than, above and below. This aids spatial awareness which again

support mathematical understanding. The lovely slide is looped greatly with the transfer platform, allowing for easy assistance for less mobile users. The transparency of the Little Turtle's Town works wonders for the overall communication and cooperation with all friends across and from inside to outside, supporting turn-taking and cooperation skills. Everyone can participate in play here and be part of the center of play, thanks to the openness in design.





## **Little Turtle's Town**

NRO4001





All Organic Robinia products by KOMPAN are made of Robinia wood from sustainable European sources. On request it can be supplied as FSC® Certified (FSC® C004450).




The product/activities are preassembled from the factory to ensure all safety requirements are considered.



The paint used for coloured components is water based environmental friendly with excellent UV resistance. The paint is in compliance with EN 71 Part 3.

Item no. NRO4001-1021			
Installation Information			
Max. fall height	100	cm	
Safety surfacing area	56.3	3 m²	
Total installation time	4	15.5	
Excavation volume	3.33	3 m³	
Concrete volume	0.00	) m³	
Footing depth (standard)	100	cm	
Shipment weight	2,167	7 kg	
Anchoring options	In-ground	•	
	Surface	~	



Panels of 19mm EcoCore™. EcoCore™ is a highly durable, eco friendly material, which is not only recyclable after use, but also consists of material produced from +95% recycled post consumer material from food packing waste.



There are Multiple footing options for all products: Surface anchoring with steel footings and expansion bolts. Wood in-ground or steel in-ground footings.



Robinia products are available in three different wood treatment options: untreated Robinia wood or brown painted with a pigment that maintains the wood colour and coloured version with paint of selected components.



**Sustainability Data** 

NRO4001





Cradle to Gate A1-A3	Total CO₂ emission	CO₂e/kg	Recycled materials	
	kg CO₂e	kg CO₂e/kg	%	
NRO4001-1021	564.70	0.33	5.00	

The overall framework applied for these factors is the Environmental Product Declaration (EPD), which quantifies "environmental information on the life cycle of a product and enable comparisons between products fulfilling the same function" (ISO, 2006). This follows the structure and applies a Life-Cycle Assessment approach to the entire Product stage from raw material through manufacturing (A1-A3))

#### Kompan A/S

C.F. Tietgens Boulevard 32C DK-5220 Odense SØ Denmark



### Verification of CO<sub>2</sub> calculation of: Nature play



Data version no. 2023-10-05

The  $\mathrm{CO}_2$  calculation and data are in compliance with the principles of a carbon footprint impact according to the GHG protocol (Greenhouse Gas Protocol), Scope 3, cradle to gate related to all individual components in the product category: "Nature play" represented by item no.: NRO409-0621.

(Scope 3 emissions include emission sources in the upstream and downstream value chain).

Date: 30. October 2023 | Valid until: 30. October 2025 Verified by:

made

Julie Marie Vejsgaard Larsen, LCA & EPD Consultant

Verification based on report: Validation of  ${\rm CO_2}$  calculation of 9 categories of Kompan product line, version 1.0, prepared by: Bureau Veritas HSE, Denmark: Julie M. V. Larsen.

Publication date: 30. October 2023

By Bureau Veritas HSE www.bureauveritas.dk +45 7731 1000




# **Little Turtle's Town**






\* Max fall height | \*\* Total height | \*\*\* Safety surfacing area

\* Max fall height | \*\* Total height





Click to see TOP VIEW

Click to see SIDE VIEW