Bench S 40cm

FRE3012



Item no. FRE3012-34	17DT		
General Product Information			
Dimensions LxWxH	147x96x41 cm		
Age group	3+		
Play capacity (users)	-		
Color options			





The curved benches can be installed in different heights and next to each other to create a tribune. The benches are splended meeting points to socialise with friends and look at sport activities at the same time.



Data is subject to change without prior notice.

Bench S 40cm

FRE3012





The steel surfaces are hot dip galvanised inside and outside with lead free zinc. The galvanisation has excellent corrosion resistance in outside environments and requires low maintenance.

KOMPAN GreenLine versions are designed with ultimate environmentally friendly materials with lowest possible CO2e emission factor such as EcoCoreTM panels of +95% post consumer recycled ocean waste.

Item no. FRE3012-3417DT		
Installation Information		
Max. fall height		0 cm
Safety surfacing area	C	0.0 m²
Total installation time		1.9
Excavation volume	0.2	29 m³
Concrete volume	0.	10 m³
Footing depth (standard)	6	60 cm
Shipment weight		31 kg
Anchoring options	In-ground	~
	Surface	~

KON

Let's pla[,]



Sustainability Data

Cradle to Gate A1-A3

FRE3012-3417DT

FRE3012



Kompan A/S C.F. Tietgens Boulevard 32C DK-5220 Odense SØ Denmark



Verification of CO₂ calculation of: Park



Data version no. 2023-10-05

The CO_2 calculation and data are in compliance with the principles of a carbon footprint impact according to the GHG protocol (Greenhouse Gas Protocol), Scope 3, cradle to gate related to all individual components in the product category: "Park" represented by item no.: PAR4070-0001.

(Scope 3 emissions include emission sources in the upstream and downstream value chain).

Date: 30. October 2023 | Valid until: 30. October 2025 Verified by:

Somo

Julie Marie Vejsgaard Larsen, LCA & EPD Consultant

Verification based on report: Validation of CO₂ calculation of 9 categories of Kompan product line, version 1.0, prepared by: Bureau Veritas HSE, Denmark: Julie M. V. Larsen.

Publication date: 30. October 2023



By Burea www.bure +/

By Bureau Veritas HSE www.bureauveritas.dk +45 7731 1000

The overall framework applied for these factors is the Environmental Product Declaration (EPD), which quantifies "environmental information on the life cycle of a product and enable comparisons between products fulfilling the same function" (ISO, 2006). This follows the structure and applies a Life-Cycle Assessment approach to the entire Product stage from raw material through manufacturing (A1-A3))

Total CO2

emission

kg CO₂e

68.50

CO2e/kg

kg CO₂e/kg

2.26

Recycled


materials

%

33.70





FRE3012



KOMPAN Let's play

* Max fall height | ** Total height





FRE3012 **41cm

Click to see TOP VIEW

Click to see SIDE VIEW

4 / 04/22/2024