


Movable Hammocks

PCM701



Item no. PCM701-0902	
General Product Information	
Dimensions LxWxH	331x243x65 cm
Age group	4+
Play capacity (users)	6
Color options	●



WOW! The Movable Hammocks take the prize as the most fun and interesting meeting point on ground level: The two hammocks can be run from side to side, placing them closer together or further apart. This creates an adjustable, swaying platform for socialising. Young people are extremely attracted to items that respond to movement, and the hammocks, rail and seating

combinations support fun body positions: Children can be seated, lying, standing or kneeling when relaxing together. This makes the Movable Hammocks relevant to most ages and users, including users with disabilities. The movability of the hammocks invites cooperation and taking turns skills. The gentle, swaying feel when lying in the

hammock adds body pressure, known to calm down anxious children. Pleasant furniture for playful meetings.




Movable Hammocks

PCM701



Movable hammock

Physical: sense of balance when swaying, body pressure when lying. Support users lying or seated. **Social-Emotional:** meeting, pushing friends gently back and forth, turn-taking. **Creative:** changing direction and position of hammock.



Movable Hammocks

PCM701



Panels of 19mm EcoCore™. EcoCore™ is a highly durable, eco friendly material, which is not only recyclable after use, but also consists of material produced from +95% recycled post consumer material from food packing waste.



Steel posts are galvanised inside and outside with powder coated top finish. This provides an ultimate corrosion resistance in all climates around the world.



The stainless-steel activities are made of high-quality stainless steel. The steel is cleaned by a total pickling process after manufacturing to ensure a smooth and clean gliding surfaces.



Belt seat is made of PUR. All components retain their properties in the temperature range of -30°C to 60°C. All materials are stabilised to a maximum without use of heavy metal stabilisers.

Item no. PCM701-0902

Installation Information

Max. fall height	59 cm
Safety surfacing area	23.2 m²
Total installation time	5.2 hours
Excavation volume	0.16 m³
Concrete volume	0.06 m³
Footing depth (standard)	90 cm
Shipment weight	116 kg
Anchoring options	In-ground ✓ Surface ✓

Warranty Information

EcoCore HDPE	Lifetime
Membrane	2 years
Post	10 years
Ropes & nets	10 years
Spare parts guaranteed	10 years



Sustainability Data

PCM701



Cradle to Gate A1-A3	Total CO ₂ emission	CO ₂ e/kg	Recycled materials
	kg CO ₂ e	kg CO ₂ e/kg	%
PCM701-0902	287.87	3.18	53.98


The overall framework applied for these factors is the Environmental Product Declaration (EPD), which quantifies "environmental information on the life cycle of a product and enable comparisons between products fulfilling the same function" (ISO, 2006). This follows the structure and applies a Life-Cycle Assessment approach to the entire Product stage from raw material through manufacturing (A1-A3))

Kompan A/S

C.F. Tietgens Boulevard 32C
DK-5220 Odense SØ
Denmark



Verification of CO₂ calculation of: Park



Data version no. 2023-10-05

The CO₂ calculation and data are in compliance with the principles of a carbon footprint impact according to the GHG protocol (Greenhouse Gas Protocol), Scope 3, cradle to gate related to all individual components in the product category: "Park" represented by item no.: PAR4070-0001.

(Scope 3 emissions include emission sources in the upstream and downstream value chain).

Date: 30. October 2023 | Valid until: 30. October 2025

Verified by:

Julie Marie Vejsgaard Larsen, LCA & EPD Consultant

Verification based on report: Validation of CO₂ calculation of 9 categories of Kompan product line, version 1.0, prepared by: Bureau Veritas HSE, Denmark: Julie M. V. Larsen.

Publication date: 30. October 2023

By Bureau Veritas HSE
www.bureauveritas.dk
+45 7731 1000




Movable Hammocks

PCM701

* Max fall height | ** Total height | *** Safety surfacing area

* Max fall height | ** Total height



PCM701-0902

[Click to see TOP VIEW](#)

[Click to see SIDE VIEW](#)