Suspension Trainer Compact


FAZ107





Suspension training is very effective because it simultaneously increases strength, balance, flexibility and core stability. With 49 exercises the suspension trainer is one of the most versatile pieces of exercise equipment on which all muscle groups can be trained in a functional and effective way, no matter what the fitness level of the user is. With the suspension

trainer everyone can workout at their own level due to the scalable resistance. The intensity of each exercise can be determined by adjusting the body position to add more or less resistance.









See KOMPAN Fit app for more











Suspension Trainer Compact

FAZ107



10 years

10 years

10 years

10 years



The uniquely designed handles are made of PUR and a reinforced aluminium frame that ensures a strong but light design. The ergonomically shaped handles guarantee a good and pleasant grip for all users.



KOMPAN's suspension trainer has independently anchored handles with a 40cm distance between the ropes. This gives the user plenty of workout space between the ropes and makes the suspension trainer extremely easy and comfortable to use.



Ropes are made of UV-stabilised PA with inner steel cable reinforcement. The rope is induction treated in order to create a strong connection between steel and rope, which leads to excellent wear resistance.

	Item no. FAZ10700-0900				
Installation Information					
	Max. fall height		0 cm		
	Safety surfacing area	1	3.0 m²		
	Total installation time		4.4		
	Excavation volume	0	.25 m³		
	Concrete volume	0	.14 m³		
	Footing depth (standard)		90 cm		
	Shipment weight	2	289 kg		
	Anchoring options	In-ground	•		
		Surface	~		
Warranty Information					
	Coated Steel Parts	10	10 years		



The post is made of Ø101.6 x 2mm, pregalvanised carbon steel and powder coated which is a great protection solution for all climate conditions.



KOMPAN fitness products are available in Orange, RAL2010 and Grey, RAL7012 as standard. All other RAL colours are available on upon request to meet your project's vision and to match the natural surroundings.



The Sign is made from a 15mm Polycarbonate and supported by Ø38.2mm top bar. This is an extremely solid assembly which provides great structural stability. The sign shows the 11 main exercises and has a QR code which refers users to the Kompan Fit APP that offers extended support on exercises and training.



PUR Components

Spare Parts Guarantee

Ropes & Nets

Signs

Sustainability Data

FAZ107





Cradle to Gate A1-A3	Total CO₂ emission	CO₂e/kg	Recycled materials
	kg CO₂e	kg CO₂e/kg	%
FAZ10700-0900	332.04	2.47	61.03

The overall framework applied for these factors is the Environmental Product Declaration (EPD), which quantifies "environmental information on the life cycle of a product and enable comparisons between products fulfilling the same function" (ISO, 2006). This follows the structure and applies a Life-Cycle Assessment approach to the entire Product stage from raw material through manufacturing (A1-A3))

Kompan A/S

C.F. Tietgens Boulevard 32C DK-5220 Odense SØ Denmark



Verification of CO₂ calculation of: Fitness



Data version no. 2023-10-05

The CO_2 calculation and data are in compliance with the principles of a carbon footprint impact according to the GHG protocol (Greenhouse Gas Protocol), Scope 3, cradle to gate related to all individual components in the product category: "Fitness" represented by item no.: FAZ10100-0900.

(Scope 3 emissions include emission sources in the upstream and downstream value chain).

Date: 30. October 2023 | Valid until: 30. October 2025 Verified by:

made

Julie Marie Vejsgaard Larsen, LCA & EPD Consultant

Verification based on report: Validation of ${\rm CO_2}$ calculation of 9 categories of Kompan product line, version 1.0, prepared by: Bureau Veritas HSE, Denmark: Julie M. V. Larsen.

Publication date: 30. October 2023

By Bureau Veritas HSE www.bureauveritas.dk +45 7731 1000


Suspension Trainer Compact






* Max fall height | ** Total height | *** Safety surfacing area

* Max fall height | ** Total height



FAZ10700 **291cm ***13m²



Click to see TOP VIEW

Click to see SIDE VIEW