
Climby Shifter

M7021



Item no. M702104-3417P			
General Product Information			
Dimensions LxWxH	183x245x217 cm		
Age group	3+		
Play capacity (users)	7		
Colour options			





balance and proprioception. This makes climbing the Climby Shifter great training for the motor skills and muscles: their crosscoordination and sense of balance need to be on alert. The wide platforms of the Climby Shifter invite breaks and offer roomy resting points for children. Thanks to the three panels, children can always find shelter from the wind or the sun. Please notice the fine climbing studs, added to support the whole unit.





Data is subject to change without prior notice.

Climby Shifter

M7021



Turning sphere Cognitive: stimulates a child's understanding of cause and effect when the rattle inside the sphere is turned. The smooth surface adds tactile variation. Creative: the rattle sound adds a creative element to play.





KOMP

Let's play

Crawl-through hole

Physical: the hole allows for climbing and crawling through, developing cross coordination, proprioception and spatial awareness. Social-Emotional: cooperation and turn-taking when passing one another. Cognitive: understanding space, shape and measures when seeing if the body can fit through the hole.



Rope ladder Physical: climbing the ladder supports cross coordination and trains leg and arm muscles.



Inclined platform Physical: trains the sense of balance and space. Social-Emotional: the room allows for more children being together



Teardrop handle Physical: develops upper body muscles, when pulling yourself up or hanging from your arms.



Climbing cleat Physical: placed to support hands and feet when crawling across, they train dexterity, hand and foot strength. Social-Emotional: adds the feeling of security, helping children to feel confident in climbing higher.

KOMPAN Let's play

Climby Shifter

M7021







Item i	no. M70)2104-3	3417P

Installation Information

Max. fall height	139	9 cm
Safety surfacing area	20.	3 m²
Total installation time	8.6 h	ours
Excavation volume	1.0	9 m³
Concrete volume	0.1	8 m³
Footing depth (standard)	63	3 cm
Shipment weight	28	8 kg
Anchoring options	In-ground	~
	Surface	~

Warranty Information

-	
EcoCore HDPE	Lifetime
Galvanised Steel	Lifetime
HPL Decks	15 years
Ropes & Nets	10 years
Spare Parts Guarantee	10 years


Panels of 19mm EcoCore[™]. EcoCore[™] is a highly durable, eco-friendly material, which is not only recyclable after use but also consists of a core produced from 100% recycled material.

Foot support is made of HPL with a thickness of 17.8mm, which is very high wearing and also includes unique KOMPAN non-skid surface texture.

The steel surfaces are hot-dip galvanised inside and outside with lead-free zinc. The galvanisation has excellent corrosion resistance in outside environments and requires low maintenance.



Play activities like the turning ball are made of injection moulded high-quality UV-stabilised nylon (PA6).





Ropes are made of UV-stabilised PA with inner steel cable reinforcement. The rope is induction treated to create a secure connection between steel and rope, which leads to excellent wear resistance.

KOMPAN GreenLine versions are designed with ultimate environmentally friendly materials with the lowest possible CO2e emission factor such as EcoCoreTM panels of 100% post consumer recycled ocean waste.



Sustainability Data

M7021



Cradle to Gate A1-A3	Total CO ₂ emission	CO₂e/kg	Recycled materials
	kg CO₂e	kg CO₂e/kg	%
M702104-3417P	464.96	2.25	48.36

The overall framework applied for these factors is the Environmental Product Declaration (EPD), which quantifies "environmental information on the life cycle of a product and enable comparisons between products fulfilling the same function" (ISO, 2006). This follows the structure and applies a Life-Cycle Assessment approach to the entire Product stage from raw material through manufacturing (A1-A3))



Kompan A/S C.F. Tietgens Boulevard 32C DK-5220 Odense SØ Denmark



Verification of CO₂ calculation of: Themed play systems



Data version no. 2023-10-05

The CO_2 calculation and data are in compliance with the principles of a carbon footprint impact according to the GHG protocol (Greenhouse Gas Protocol), Scope 3, cradle to gate related to all individual components in the product category: "Themed play systems" represented by item no.: MSC641100-3717P.

(Scope 3 emissions include emission sources in the upstream and downstream value chain).

Date: 30. October 2023 | Valid until: 30. October 2025 Verified by:

mais

Julie Marie Vejsgaard Larsen, LCA & EPD Consultant

Verification based on report: Validation of CO₂ calculation of 9 categories of Kompan product line, version 1.0, prepared by: Bureau Veritas HSE, Denmark: Julie M. V. Larsen.

Publication date: 30. October 2023



Data is subject to change without prior notice.

+45 7731 1000

By Bureau Veritas HSE

www.bureauveritas.dk





M7021



* Max fall height | ** Total height | *** Safety surfacing area

* Max fall height | ** Total height





M702106

Click to see TOP VIEW

Click to see SIDE VIEW

5 / 05/22/2025