Basketball Goal (freestanding)

KOMPAN

FRE3020



Item no. FRE3020-3717	
General Product Information	
Dimensions LxWxH	0x0x368 cm
Age group	3+
Play capacity (users)	-
Colour options	

A basketball goal can be used by only one person, two or a whole group simultaneously. Here everyone can join in and it's easy to walk to and from the game.The basket is mounted at a height of 10 feet (305 cm), according to the official regulations.



Basketball Goal (freestanding)

FRE3020



3 choices of nets: Polyamide (PA), PA reinforced with a steel wire inside, stainless steel chains which meet the requirements in ISO1434-ISO1435 and DIN766.



All steel components are manufactured from carbon steel, welding's according EN ISO 5817 & Hot dip galvanised (HDG) according to ISO1461. This process ensures good protection in all circumstances.

Item no. FRE3020-3717		
Installation Information		
Max. fall height	0 cm	
Safety surfacing area	0.0 m²	
Total installation time	2.9	
Excavation volume	0.32 m³	
Concrete volume	0.21 m³	
Footing depth (standard)	90 cm	
Shipment weight	192 kg	
Anchoring options	In-ground 🗸	
Warranty Information		
EPDM components	2 years	
HDG post	Lifetime	

10 years

KON



Spare parts guaranteed

Sustainability Data

Cradle to Gate A1-A3

FRE3020-3717

FRE3020



Kompan A/S C.F. Tietgens Boulevard 32C DK-5220 Odense SØ Denmark



Verification of CO₂ calculation of: Sport



Data version no. 2023-10-05

The CO_2 calculation and data are in compliance with the principles of a carbon footprint impact according to the GHG protocol (Greenhouse Gas Protocol), Scope 3, cradle to gate related to all individual components in the product category: "Sport" represented by item no.: FRE600202-0901.

(Scope 3 emissions include emission sources in the upstream and downstream value chain).

Date: 30. October 2023 | Valid until: 30. October 2025 Verified by:

mais

Julie Marie Vejsgaard Larsen, LCA & EPD Consultant

Verification based on report: Validation of CO₂ calculation of 9 categories of Kompan product line, version 1.0, prepared by: Bureau Veritas HSE, Denmark: Julie M. V. Larsen.

Publication date: 30. October 2023

By Bureau Veritas HSE www.bureauveritas.dk +45 7731 1000



The overall framework applied for these factors is the Environmental Product Declaration (EPD), which quantifies "environmental information on the life cycle of a product and enable comparisons between products fulfilling the same function" (ISO, 2006). This follows the structure and applies a Life-Cycle Assessment approach to the entire Product stage from raw material through manufacturing (A1-A3))

Total CO2

emission

kg CO₂e

272.26

CO2e/kg

kg CO₂e/kg

2.30

Recycled

materials

%

56.62



FRE3020

* Max fall height | ** Total height | *** Safety surfacing area

* Max fall height | ** Total height

Click to see TOP VIEW

Click to see SIDE VIEW

