MSC6422





The Story Makers Castle is the landmark of the crown land. The three bannered towers and a portal guarded by lions, the stage is set for endless play scenarios in the fantasy world of knights and princesses. The inner courtyard, flanked by multifunctional play sections, makes a great space for play. The interaction to the outside of the castle is created though

numerous counters, seats, role play corners and egresses. The climbing walls or ladders for the valiant ensure play for many children and their zest for imaginative play for a long time.

Item no. MSC64220	00-3717P			
General Product Information				
imensions LxWxH	621x902x405 cm			
ge group	2+			
lay capacity (users)	34			
olour options				








MSC6422





#### Rock climber

Physical: supports cross coordination and leg, arm and hand strength. Social-Emotional: the inclination makes climbing feel secure, especially for younger children.







Physical: sliding develops spatial awareness and a sense of balance. Furthermore, the core muscles are trained when sitting upright going down. Social-Emotional: empathy stimulated by turn-taking. Cognitive: young children develop their understanding of space, speed and distances when sliding down guickly.



**Binoculars** 





### Megaphone Social-Emotional: inspires communication

Cognitive: the binoculars set a tangible theme and thus spur dramatic play. Dramatic play is a great trainer of language and communication skills. Creative: the binoculars can be turned in all directions. Looking through them gives a new perspective on the world.





and turn-taking skills. Cognitive: distortion of

sound evokes curiosity and stimulates an

understanding of cause and effect.





#### **Curly climber**

Physical: coordination and proprioception are supported when placing arms and legs correctly for going down. Sense of balance when rotating. Arm muscles for holding tight. Social-Emotional: empathy stimulated by turn-taking. Cognitive: logical thinking when placing arms and legs right for rotating downwards.





Physical: crawling trough the possible

play for two or three children.

openings trains spatial awareness. Social-

Emotional: the enclosed space invites social





### Accessible stairway

Physical: climbing the accessible stairway is for all and supports cross coordination as well as arm and leg muscles. For young children, walking stairs and alternating feet is developed. Social-Emotional: room for active breaks and adult helpers. An inclusive space.







MSC6422






Panels of 19mm EcoCore™. EcoCore™ is a highly durable, eco friendly material, which is not only recyclable after use, but also consists of material produced from +95% recycled post consumer material from food packing waste.



All floors are made of High-Pressure Laminate HPL with a thickness 17.8mm and non skid surface texture according to EN 438-6. KOMPAN HPL has high wearing strength to ensure long lifetime in all climates.



Curved climbing wall is made of Ekogrip® panel that consist of a 15mm thick PE base with 3 mm top-layer of soft rubber with a non-skid effect.



### Item no. MSC642200-3717P Installation Information

instaliation illiornation				
Max. fall height	22	26 cm		
Safety surfacing area	74	.8 m²		
Total installation time		47.7		
Excavation volume	2	29 m³		
Concrete volume	0.	00 m³		
Footing depth (standard)	ę	90 cm		
Shipment weight	1,7	33 kg		
Anchoring options	In-ground	•		
	Surface	•		

#### **Warranty Information** FcoCore HDPF Lifetime Hot dip galvanised steel Lifetime HPL decks 15 years

Ropes & nets 10 years Spare parts guaranteed 10 years



The slides can be chosen in different materials: Straight moulded PE slides or combined EcoCore™ sides and stainless steel slide bed t=2mm.



Climbing nets are made of UV-stabilised PP rope with inner steel cable reinforcement. The rope is induction treated to obtain maximum fixation between steel and rope which provides excellent wear and tear resistance. All rope connectors are made of 100% recyclable PA material.



The steel surfaces are hot dip galvanised inside and outside with lead free zinc. The galvanisation has excellent corrosion resistance in outside environments and requires low maintenance.



## **Sustainability Data**

MSC6422





Cradle to Gate A1-A3	Total CO₂ emission	CO₂e/kg	Recycled materials
	kg CO₂e	kg CO₂e/kg	%
MSC642200-3717P	2,800.96	2.01	56.26


The overall framework applied for these factors is the Environmental Product Declaration (EPD), which quantifies "environmental information on the life cycle of a product and enable comparisons between products fulfilling the same function" (ISO, 2006). This follows the structure and applies a Life-Cycle Assessment approach to the entire Product stage from raw material through manufacturing (A1-A3))

#### Kompan A/S

C.F. Tietgens Boulevard 32C DK-5220 Odense SØ Denmark



### Verification of CO<sub>2</sub> calculation of: Themed play systems



Data version no. 2023-10-05

The  $\mathrm{CO}_2$  calculation and data are in compliance with the principles of a carbon footprint impact according to the GHG protocol (Greenhouse Gas Protocol), Scope 3, cradle to gate related to all individual components in the product category: "Themed play systems" represented by item no.: MSC641100-3717P.

(Scope 3 emissions include emission sources in the upstream and downstream value chain).

Date: 30. October 2023 | Valid until: 30. October 2025 Verified by:

mode

Julie Marie Vejsgaard Larsen, LCA & EPD Consultant

Verification based on report: Validation of  ${\rm CO_2}$  calculation of 9 categories of Kompan product line, version 1.0, prepared by: Bureau Veritas HSE, Denmark: Julie M. V. Larsen.

Publication date: 30. October 2023

By Bureau Veritas HSE www.bureauveritas.dk +45 7731 1000





MSC6422



\* Max fall height | \*\* Total height | \*\*\* Safety surfacing area

\* Max fall height | \*\* Total height





Click to see TOP VIEW

Click to see SIDE VIEW