



Square Edging 14x14x200, 2m

NRO521



Square Edging, 14x14x200, 2m. The post can also be used as fallzone boundary for surfacing materials like wood chips.

| | |
|-----------------------------|---|
| Item no. NRO521-0001 | |
| General Product Information | |
| Dimensions LxWxH | 200x14x14 cm |
| Age group | 2 - 5 |
| Play capacity (users) | - |
| Colour options |   |



Square Edging 14x14x200, 2m

NRO521



Balance beam

Physical: trains the sense of balance, fundamental for all other motor skills that makes it possible to navigate the world confidently and securely. **Social-Emotional:** turn-taking skills and negotiation when crossing each other on the beam. Room for a seated rest and exchange.



Square Edging 14x14x200, 2m

NRO521



All Organic Robinia products by KOMPAN are made of Robinia wood from sustainable European sources. On request it can be supplied as FSC® Certified (FSC® C004450).



Robinia products are available in three different wood treatment options: Untreated Robinia wood or brown painted with a pigment that maintains the wood colour and coloured version with paint of selected components.

| | |
|---------------------------------|-----------|
| Item no. NRO521-0001 | |
| Installation Information | |
| Max. fall height | 0 cm |
| Safety surfacing area | 0.0 m² |
| Total installation time | 0.4 |
| Excavation volume | 0.00 m³ |
| Concrete volume | 0.00 m³ |
| Footing depth (standard) | 0 cm |
| Shipment weight | 37 kg |
| Anchoring options | Surface ✓ |
| Warranty Information | |
| Robinia wood | 15 years |
| Spare parts guaranteed | 10 years |

| Elevated activities 0 | Accessible elevated activities | Accessible ground level activities | Accessible ground level play types |
|-----------------------|--------------------------------|------------------------------------|------------------------------------|
| Present | 0 | 0 | 0 |
| Required | 0 | 0 | 0 |

Sustainability Data

NRO521



| Cradle to Gate A1-A3 | Total CO ₂ emission | CO ₂ e/kg | Recycled materials |
|----------------------|--------------------------------|-------------------------|--------------------|
| | kg CO ₂ e | kg CO ₂ e/kg | % |
| NRO521-0001 | 2.97 | 0.10 | 0.00 |

The overall framework applied for these factors is the Environmental Product Declaration (EPD), which quantifies "environmental information on the life cycle of a product and enable comparisons between products fulfilling the same function" (ISO, 2006). This follows the structure and applies a Life-Cycle Assessment approach to the entire Product stage from raw material through manufacturing (A1-A3))

Kompan A/S

C.F. Tietgens Boulevard 32C
DK-5220 Odense SØ
Denmark



Verification of CO₂ calculation of: Nature play



Data version no. 2023-10-05

The CO₂ calculation and data are in compliance with the principles of a carbon footprint impact according to the GHG protocol (Greenhouse Gas Protocol), Scope 3, cradle to gate related to all individual components in the product category: "Nature play" represented by item no.: NRO409-0621.

(Scope 3 emissions include emission sources in the upstream and downstream value chain).

Date: 30. October 2023 | Valid until: 30. October 2025

Verified by:

Julie Marie Vejsgaard Larsen, LCA & EPD Consultant

Verification based on report: Validation of CO₂ calculation of 9 categories of Kompan product line, version 1.0, prepared by: Bureau Veritas HSE, Denmark: Julie M. V. Larsen.

Publication date: 30. October 2023

By Bureau Veritas HSE
www.bureauveritas.dk
+45 7731 1000




Square Edging 14x14x200, 2m


NRO521

* Max fall height | ** Total height | *** Safety surfacing area

* Max fall height | ** Total height



NRO521
1/8" = 1'-0"



[Click to see TOP VIEW](#)

[Click to see SIDE VIEW](#)