# Truck





Item no. M53471-3418P				
General Product Information				
Dimensions LxWxH	156x273x190 cm			
Age group	6m+			
Play capacity (users)	8			
Colour options				







This impressive truck from KOMPAN most certainly deserves to be called king of the road, while whizzing along the highways and byways of the imagination. The cab is equipped with a steering wheel, gear stick and even a sleepingberth for weary drivers. There is an extra steering wheel, a chimney, table and plenty of space on the body of this tough working vehicle

for passengers and goods alike. And if the engine is giving problems, the mechanic can always jump down onto the running-board to make the necessary repairs.

# Truck





Window Social-Emotional: invites interaction between sides and cooperative play.





## Play sphere

**Social-Emotional:** can be played from both sides, encouraging cooperation. **Cognitive:** cause and effect understanding. **Creative:** leave a mark and place the spheres at different positions.



## Table

**Social-Emotional:** fine meeting place and a space creator. Sharing and cooperation create a social scenario that supports communication and cooperation.



## Theme

**Cognitive:** suggests a theme and supports dramatic play, which stimulates language and communication skills.



#### Crawl-through hole

Physical: the hole allows for climbing and crawling through, developing cross coordination, proprioception and spatial awareness. Social-Emotional: cooperation and turn-taking when passing one another. Cognitive: understanding space, shape and measures when seeing if the body can fit through the hole.



### **Turning wheel Cognitive:** the manipulative item stimulates cause and effect understanding.


## Truck



M534



Panels of 19mm EcoCore<sup>™</sup>. EcoCore<sup>™</sup> is a highly durable, eco friendly material, which is not only recyclable after use, but also consists of material produced from +95% recycled post consumer material from food packing waste.



Foot support is made of HPL with a thickness of 17,8mm with a very high wearing strength and a unique KOMPAN nonskid surface texture.



The steel surfaces are hot dip galvanised inside and outside with lead free zinc. The galvanisation has excellent corrosion resistance in outside environments and requires low maintenance.

Item no. M53471-3418P				
Installation Information				
Max. fall height	90	) cm		
Safety surfacing area	23.	7 m²		
Total installation time	12.6 h	ours		
Excavation volume	0.6	1 m³		
Concrete volume	0.00	) m³		
Footing depth (standard)	63	3 cm		
Shipment weight	41	9 kg		
Anchoring options	In-ground	~		
	Surface	~		
Warranty Information				
EcoCore HDPE	Life	time		

EcoCore HDPE	Lifetime
Hot dip galvanised steel	Lifetime
HPL decks	15 years
PUR components	10 years
Spare parts guaranteed	10 years



Exhaust pipe is made of polypropylene PP with excellent impact strength and usable within a large temperature span.



Handholds are made of injection moulded high quality nylon (PA6). PA6 has good wearing and impact strength.



KOMPAN GreenLine versions are designed with ultimate environmentally friendly materials with lowest possible CO2e emission factor such as EcoCoreTM panels of +95% post consumer recycled ocean waste.



## **Sustainability Data**

M534



Cradle to Gate A1-A3	Total CO₂ emission	CO₂e/kg	Recycled materials
	kg CO₂e	kg CO₂e/kg	%
M53471-3418P	677.00	2.00	49.25

The overall framework applied for these factors is the Environmental Product Declaration (EPD), which quantifies "environmental information on the life cycle of a product and enable comparisons between products fulfilling the same function" (ISO, 2006). This follows the structure and applies a Life-Cycle Assessment approach to the entire Product stage from raw material through manufacturing (A1-A3))



Kompan A/S C.F. Tietgens Boulevard 32C DK-5220 Odense SØ Denmark



Verification of CO<sub>2</sub> calculation of: Themed play systems



Data version no. 2023-10-05

The  $CO_2$  calculation and data are in compliance with the principles of a carbon footprint impact according to the GHG protocol (Greenhouse Gas Protocol), Scope 3, cradle to gate related to all individual components in the product category: "Themed play systems" represented by item no.: MSC641100-3717P.

(Scope 3 emissions include emission sources in the upstream and downstream value chain).

Date: 30. October 2023 | Valid until: 30. October 2025 Verified by:

mais

Julie Marie Vejsgaard Larsen, LCA & EPD Consultant

Verification based on report: Validation of CO<sub>2</sub> calculation of 9 categories of Kompan product line, version 1.0, prepared by: Bureau Veritas HSE, Denmark: Julie M. V. Larsen.

Publication date: 30. October 2023



**By Bureau Veritas HSE** 

www.bureauveritas.dk

+45 7731 1000





M534



\* Max fall height | \*\* Total height | \*\*\* Safety surfacing area

\* Max fall height | \*\* Total height





M53471

Click to see TOP VIEW

5 / 05/22/2025