


# Super Combi 2, Supervised

FSW252

**KOMPAN**  
Let's play



Item no. FSW25200-0900

## General Product Information

|                       |   |
|-----------------------|---|
| Dimensions LxWxH      | 750x746x325 cm  |
| Age group             | 13+   |
| Play capacity (users) | 16  |
| Colour options        |  |

The Super Combi 2 is a highly versatile structure. It has a perfect blend of high, low, and dynamic items. The overhead activities include the snake bar, the overhead ladder, and the rings. The climbing rope and the target shoot are fun and functional, and the Mag Bells provide dynamic strength training. The universal parallel bars stimulate exercise

creativity and can be used directly by wheelchair users. The integrated step platforms can be used for strength, jumping, and cardio —an excellent setup for more extensive group workouts.<br>Supervised products are only for areas that are gated or fenced-off, like fitness clubs with supervision or gated communities.



# Super Combi 2, Supervised

FSW252



Post are made of Ø101.6 x 2mm, pre-galvanized carbon steel and powder coated, a great protection to all conditions.



Item no. FSW25200-0900

## Installation Information


|                          |                          |
|--------------------------|--------------------------|
| Max. fall height         | 200 cm                   |
| Safety surfacing area    | 66.4 m <sup>2</sup>      |
| Total installation time  | 15.7                     |
| Excavation volume        | 1.25 m <sup>3</sup>      |
| Concrete volume          | 0.75 m <sup>3</sup>      |
| Footing depth (standard) | 90 cm                    |
| Shipment weight          | 954 kg                   |
| Anchoring options        | In-ground ✓<br>Surface ✓ |

## Warranty Information

|                          |          |
|--------------------------|----------|
| EcoCore HDPE             | Lifetime |
| Hot dip galvanised steel | Lifetime |
| Movable parts            | 2 years  |
| Spare parts guaranteed   | 10 years |
| Steel                    | 10 years |

# Sustainability Data

FSW252



| Cradle to Gate A1-A3 | Total CO <sub>2</sub> emission | CO <sub>2</sub> e/kg    | Recycled materials |
|----------------------|--------------------------------|-------------------------|--------------------|
|                      | kg CO <sub>2</sub> e           | kg CO <sub>2</sub> e/kg | %                  |
| <b>FSW25200-0900</b> | 1,477.44                       | 2.45                    | 57.35              |

The overall framework applied for these factors is the Environmental Product Declaration (EPD), which quantifies "environmental information on the life cycle of a product and enable comparisons between products fulfilling the same function" (ISO, 2006). This follows the structure and applies a Life-Cycle Assessment approach to the entire Product stage from raw material through manufacturing (A1-A3))

**Kompan A/S**  
 C.F. Tietgens Boulevard 32C  
 DK-5220 Odense SØ  
 Denmark



## Verification of CO<sub>2</sub> calculation of: Fitness



Data version no. 2023-10-05

The CO<sub>2</sub> calculation and data are in compliance with the principles of a carbon footprint impact according to the GHG protocol (Greenhouse Gas Protocol), Scope 3, cradle to gate related to all individual components in the product category: "Fitness" represented by item no.: FAZ10100-0900.

(Scope 3 emissions include emission sources in the upstream and downstream value chain).

**Date: 30. October 2023 | Valid until: 30. October 2025**

Verified by:

Julie Marie Vejsgaard Larsen, LCA & EPD Consultant

Verification based on report: Validation of CO<sub>2</sub> calculation of 9 categories of Kompan product line, version 1.0, prepared by: Bureau Veritas HSE, Denmark: Julie M. V. Larsen.

**Publication date: 30. October 2023**

By Bureau Veritas HSE  
 www.bureauveritas.dk  
 +45 7731 1000





# Super Combi 2, Supervised

FSW252

\* Max fall height | \*\* Total height | \*\*\* Safety surfacing area

\* Max fall height | \*\* Total height



[Click to see TOP VIEW](#)

[Click to see SIDE VIEW](#)