Spinner Bowl

ELE400024





Item no. ELE400024-3717LG

General Product Information

Dimensions LxWxH 52x55x60 cm
Age group 4+
Play capacity (users) 1
Color options







This wildly or mildly spinning piece with its cute rounded design evokes squeals of joy when children rotate again and again. With its easily accessible, tilted spinning bowl it invites children of all abilities and a wide age span to play. The small footprint allows for placing 2-3 Spinner Bowls together, encouraging social play. The variety of play opportunities: sitting in,

on edge of, pushing, pulling or even standing in the spinner bowl makes for a long-time attraction. The tilted bowl allows the child to adjust the spinning speed with its body movements. This trains the logical thinking: to speed up by scooping up or slow down by spreading arms and legs out. Spinner Bowls train the sense of balance, which is mandatory for concentration skills and the ability to sit still. Pushing or being pushed by others trains social—emotional skills such as turn-taking.





Spinner Bowl

ELE400024





The Spinner Bowl is made of recyclable PE made from 33% post-consumer materials. The bowl is molded in one piece with integrated metal thread bushings and a water drain hole to ensure high durability in all climates around the world.



Heavy duty engineered bearing system with single row deep groove ball bearings with rubber seals. The fully closed bearing construction is lifetime lubricated and maintenance free.



The steel surfaces are hot dip galvanised inside and outside with lead free zinc. The galvanisation has excellent corrosion resistance in outside environments and requires low maintenance.

Charles and the Control of the Contr	
	l
	l .
	I N/1~
	Ma
STEEL ST	
	Sa
STATE OF THE PARTY	, ou
	I T-4
	Tot
	100
	. –
	I ⊢∨.
THE RESERVE AND THE PARTY OF TH	Ex
	Co
	۱ ('`^
57 - 607 - 575 - 675	
7/10/4/10/20/20/20/20/20/20/20/20/20/20/20/20/20	
	Fo
	Ι Га
CONTRACTOR CONTRACTOR	
2 - 2 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 -	, , ,
AND COLUMN TO STREET AND STREET	1
CONTRACTOR OF THE PARTY.	1
SALAN CONTRACTOR OF THE SALAN	l Sh
THE RESERVE THE PARTY OF THE PA	ı Sn

Installation Information		
Max. fall height	1	00 cm
Safety surfacing area		9.8 m²
Total installation time		1.2
Excavation volume	0	.11 m³
Concrete volume	0	.06 m³
Footing depth (standard)		90 cm
Shipment weight		22 kg
Anchoring options	In-ground	•
	Surface	•

Item no. ELE400024-3717LG



The Spinner Bowl is available in six different colour options.



The sand colored variant is made of rotomolded stone mixed PE made from 33% post consumer materials with a non skid surface texture. Minor differences in the stone mix visuality of the material are to be expected.



GreenLine versions in teal color are designed with molded PE parts which consist of 33% recycled post-consumer ocean waste. Ocean waste is collected from the maritime industry, such as fishing nets, ropes and trawls.



Sustainability Data

ELE400024





Cradle to Gate A1-A3	Total CO ₂ emission	CO₂e/kg	Recycled materials
	kg CO₂e	kg CO₂e/kg	%
ELE400024-3717LG	55.30	3.00	40.10

The overall framework applied for these factors is the Environmental Product Declaration (EPD), which quantifies "environmental information on the life cycle of a product and enable comparisons between products fulfilling the same function" (ISO, 2006). This follows the structure and applies a Life-Cycle Assessment approach to the entire Product stage from raw material through manufacturing (A1-A3))

Kompan A/S

C.F. Tietgens Boulevard 32C DK-5220 Odense SØ Denmark



Verification of CO₂ calculation of: Freestanding play equipment



Data version no. 2023-10-05

The CO_2 calculation and data are in compliance with the principles of a carbon footprint impact according to the GHG protocol (Greenhouse Gas Protocol), Scope 3, cradle to gate related to all individual components in the product category: "Freestanding play equipment" represented by item no.: GXY916012-3417.

(Scope 3 emissions include emission sources in the upstream and downstream value chain).

Date: 30. October 2023 | Valid until: 30. October 2025 Verified by:

miss

Julie Marie Vejsgaard Larsen, LCA & EPD Consultant

Verification based on report: Validation of CO_2 calculation of 9 categories of Kompan product line, version 1.0, prepared by: Bureau Veritas HSE, Denmark: Julie M. V. Larsen.

Publication date: 30. October 2023

By Bureau Veritas HSE
www.bureauveritas.dk
+45 7731 1000




Spinner Bowl


ELE400024



* Max fall height | ** Total height | *** Safety surfacing area

* Max fall height | ** Total height





Click to see TOP VIEW

Click to see SIDE VIEW