NRO12201



Item no. NRO12201-0501

General Product Information

Dimensions LxWxH

415x21x117 cm

Age group

Play capacity (users)













The Seesaw 4 is a playground classic. It still attracts players again and again, as it has for generations. The archaic play event is still with us for a reason: the tickling in the stomach when going up high, going down fast is eternally appealing. The Seesaw 4 develops the sense of space and rhythm and leg muscles of children. These are crucial motor

skills that help children navigate the world securely, e.g. in the street when estimating time, movement and objects. The social dimension and degree of trust in your peer that is demanded when seesawing, is great training of social-emotional life skills such as turntaking and cooperation. With four users, empathy is trained, too. Players will need to

consider others' limits and limitations. Especially in groups of four, the see-sawing is a fantastic social play event.



NRO12201









Rocking movement

Physical: response to movements adds to spatial awareness and sense of balance which are fundamental motor skills.

Cognitive: trains the understanding of cause and effect: when I move my body, the spring responds with movement.





Rocking together Social-Emotional: the possibility of rocking two together trains cooperation skills and consideration of others.



landhold


Physical: opens more hold positions and ensures good grip, necessary for rocking intensely which trains hand and arm muscles.

NRO12201





All organic Robinia products by KOMPAN are made of Robinia wood which is sourced from sustainable plantation farms. On request it can be supplied as FSC® Certified (FSC® C004450).



The Robinia wood can be supplied as untreated raw wood or painted with a brown coloured transparent pigment that maintains the golden wood colour of the wood.



The steel surfaces are hot-dip galvanised inside and outside with lead-free zinc. The galvanisation has excellent corrosion resistance in outside environments and requires low maintenance.

| Item no. NRO12201-0501 | | | |
|--------------------------|-----------|--------------------|--|
| Installation Information | | | |
| Max. fall height | | 0 cm | |
| Safety surfacing area | | 0.0 m ² | |
| Total installation time | | 3.0 | |
| Excavation volume | 0 | .59 m ³ | |
| Concrete volume | 0 | .15 m ³ | |
| Footing depth (standard) | | 70 cm | |
| Shipment weight | | 134 kg | |
| Anchoring options | Surface | ~ | |
| | In-ground | ~ | |
| Warranty Information | | | |
| Galvanised Steel | Lifetime | | |
| Robinia Wood | 15 years | | |
| Spare Parts Guarantee | 10 years | | |

Sustainability Data

NRO12201



| Cradle to Gate A1-A3 | Total CO ₂ emission | CO₂e/kg | Recycled materials |
|----------------------|--------------------------------|------------|--------------------|
| | kg CO₂e | kg CO₂e/kg | % |
| NRO12201-0501 | 75.32 | 0.66 | 34.04 |

The overall framework applied for these factors is the Environmental Product Declaration (EPD), which quantifies "environmental information on the life cycle of a product and enable comparisons between products fulfilling the same function" (ISO, 2006). This follows the structure and applies a Life-Cycle Assessment approach to the entire Product stage from raw material through manufacturing (A1-A3))



Kompan A/S

C.F. Tietgens Boulevard 32C DK-5220 Odense SØ Denmark



Verification of CO₂ calculation of: Nature play



Data version no. 2023-10-05

The CO_2 calculation and data are in compliance with the principles of a carbon footprint impact according to the GHG protocol (Greenhouse Gas Protocol), Scope 3, cradle to gate related to all individual components in the product category: "Nature play" represented by item no.: NRO409-0621.

(Scope 3 emissions include emission sources in the upstream and downstream value chain).

Date: 30. October 2023 | Valid until: 30. October 2025 Verified by:

mode

Julie Marie Vejsgaard Larsen, LCA & EPD Consultant

Verification based on report: Validation of CO_2 calculation of 9 categories of Kompan product line, version 1.0, prepared by: Bureau Veritas HSE, Denmark: Julie M. V. Larsen.

Publication date: 30. October 2023

By Bureau Veritas HSE www.bureauveritas.dk +45 7731 1000



NRO12201



* Max fall height | ** Total height | *** Safety surfacing area

* Max fall height | ** Total height

Click to see SIDE VIEW

Click to see SIDE VIEW