Stepping Pod, Ground Level

M87401



Item no. M87401-3617			
General Product Information			
Dimensions LxWxH	0'11"x0'11"x0'4"		
Age group	2 - 12		
Play capacity (users)	1		
Color options	\bullet		







The Stepping Pod, Ground Level, appeals to children to play simple yet thrilling games like the Ground is Lava. Placing more Stepping Pods, in various heights, adds to attraction. It invites jumping or balancing from one to the next. As an individual Stepping Pod, it can function as a sturdy seat and invite a break from play. The Stepping Pod invites numerous classic games, functioning as a stop-point or refuge in tag, the Ground is Lava and many other children's games. The Stepping Pod trains important social-emotional skills such as taking turns and empathy.

Stepping Pod, Ground Level

M87401







Sturdy rubber surface Physical: makes for a skid-resistant surface for jumping up and down, training muscle and motor skills and building bone density.



Stepping pod

Physical: young children learn how to balance and to alternate feet. These are important for the proprioceptive and vestibular systems that help children navigate the world securely. Jumping down builds bone density and muscles.

Stepping Pod, Ground Level

M87401



Item no. M87401-3617			
Installation Information			
Max. fall height		0'4"	
Safety surfacing area		131ft ²	
Total installation time		0.4	
Excavation volume	C).1yd³	
Concrete volume	0.	04yd³	
Footing depth (standard)		2'0"	
Shipment weight		35lbs	
Anchoring options	In-ground	~	
	Surface	~	
Warranty Information			
Hot dip galvanized steel	Lif	etime	
SBR rubber	2	Years	
Spare Parts Availability	10	Years	

Elevated activities 0	Accessible elevated activities	Accessible ground level activities	Accessible ground level play types
Present	0	1	1
Required	0	1	1



	-	
	201	
-		

Stepping point is made of SBR rubber. It has good heat and abrasion resistance.

Sustainability Data

Cradle to Gate A1-A3

M87401-3617

M87401



Total CO2

emission

kg CO₂e

37.29

CO2e/kg

kg CO₂e/kg

2.18

Recycled

materials

%

19.99

Kompan A/S	
C.F. Tietgens Boulevard 32C	
DK-5220 Odense SØ	
Denmark	



KO

Verification of CO, calculation of: Freestanding play equipment



Data version no. 2023-10-05

The CO₂ calculation and data are in compliance with the principles of a carbon footprint impact according to the GHG protocol (Greenhouse Gas Protocol), Scope 3, cradle to gate related to all individual components in the product category: "Freestanding play equipment" represented by item no.: GXY916012-3417.

(Scope 3 emissions include emission sources in the upstream and downstream value chain).

Date: 30. October 2023 | Valid until: 30. October 2025 Verified by:

mais

Julie Marie Vejsgaard Larsen, LCA & EPD Consultant

Verification based on report: Validation of CO2 calculation of 9 categories of Kompan product line, version 1.0, prepared by: Bureau Veritas HSE, Denmark: Julie M. V. Larsen.

Publication date: 30. October 2023




www.bureauveritas.dk




The overall framework applied for these factors is the Environmental Product Declaration (EPD), which quantifies "environmental information on the life cycle of a product and enable comparisons between products fulfilling the same function" (ISO, 2006). This follows the structure and applies a Life-Cycle Assessment approach to the entire Product stage from raw material through manufacturing (A1-A3))



M87401







* Max fall height | ** Total height