



Chimpanzee Trail

CRP250401

产品编号 CRP250401-0901

产品信息概览

长宽高尺寸	1008x653x326 cm
适用年龄段	6+
容纳人数	16
颜色选择	



Chimpanzee Trail 非常适合社交活动，能立即吸引孩子们玩耍，也适合年龄较大的孩子！其中的攀爬活动能以一种非常有趣的方式强化训练敏捷性、平衡性和协调性等运动技能。Satellite Spinner 让许多孩子疯狂旋转，而 Zig-Zag Slider 则提供了极具挑战性的上下攀爬活动。旋转除了非常有趣之外，还有助于训练平衡能力，而平衡能力是坐稳等动作的基本技能。在与朋友

们擦肩而过、从一端到另一端的过程中，还能锻炼转身、交流和合作能力。Frames、Hurdles 和 Zig-Zag Slider 也是完美的天然休息点，可鼓励社交和聚会。Chimpanzee Trail 因此成为一个非常灵活的游戏组合，既可用于体能活动，也可用于社交活动。




Chimpanzee Trail

CRP250401




Zig-zag slider

身体素质：爬上爬下时可以训练肌肉力量、平衡感和协调能力。



Satellite spinner

身体素质：在站立、坐下和旋转时保持平衡，握紧时肌肉会得到锻炼。**社交情感：**培养轮流意识，训练社交能力。**认知能力：**逻辑思维，想办法让 Spica 顺应地心引力，而不是对抗地心引力。



Hurdles

身体素质： arm, leg and core muscles are developed when climbing up or through. Balance and spatial awareness, motor skills that help in judging the body in space. **社交情感：** 经过他人时的合作和轮流意识。



Propeller climber

身体素质： support agility, balance and coordination when climbing through. These are important motor skills for moving your body confidently. Arm, leg and core muscles are trained when climbing through the propellers. **社交情感：** children cooperate, turn-take and consider each other when they climb through the frames. The frames support playful socializing and meetings for groups of children.

Chimpanzee Trail

CRP250401



绳索由防紫外线的 PES 绳股制成，并带有内部钢缆增强件。聚酯包裹的绳股经过感应处理，融化到每根单独的丝束上，以获得优异的耐磨性和抗撕裂性。



Corocord“S”扣在 Corocord 产品中作为通用连接。用特殊的液压机将带有圆形边缘的 8mm 不锈钢条压在绳索周围，使其成为理想的连接部件。其安全、耐用且防破坏，适用于攀爬网游戏结构中的典型游戏运动。



19 毫米 EcoCore™ 面板。EcoCore™ 是一种高度耐用、环保的材料，不仅在使用后可回收利用，而且还包含由 100 % 食品包装可循环材料制成的芯。



彩色钢部件具有热浸镀锌的基础和粉末涂层的顶部涂层。这在世界各地的所有气候条件下都具有极高的耐腐蚀性。其他钢表面在内部和外部均用无铅锌进行热浸镀锌。



摇晃攀爬管由中密度聚乙烯制成，具有出色的抗冲击强度，可在较大的温度范围内使用。纵向凹槽提供了防滑表面，可确保安全玩耍。



高载荷的工程轴承系统，带单排深沟球轴承，橡胶密封。全封闭轴承结构提供终身润滑，免维护。

产品编号 CRP250401-0901

安装信息

最大跌落高度	240 cm
安全面积	89.5 m ²
安装总时长	21.5
开挖量	12.20 m ³
混凝土使用量	7.30 m ³
标准入地深度	90 cm
运输重量	924 kg
固定选项	地表 ✓ 入地 ✓


质保信息

铝夹	10 年
镀锌钢结构	终身质保
喷涂顶层	10 年
绳网	10 年
承保零部件	10 年



Sustainability Data

CRP250401



从原材料到成品

CO₂ 排放总量

kg CO₂e

CO₂ 排放量 / 千克

kg CO₂e/kg

回收的原料

%

CRP250401-0901

2,135.10

3.11

49.93

这些因素采用的总体框架为环保产品声明 (EPD), 该声明可量化“产品生命周期的环保信息, 并对相同功能的产品进行对比” (ISO, 2006)。在遵循该框架的同时, 对从原材料到制造的整个产品阶段 (A1-A3) 应用生命周期评估法。


Kompan A/S

C.F. Tietgens Boulevard 32C
DK-5220 Odense SØ
Denmark

Validation of CO₂ calculation method
BUREAU VERITAS
HSE Denmark A/S



Verification of CO₂ calculation of: Corocord



Data version no. 2023-10-05

The CO₂ calculation and data are in compliance with the principles of a carbon footprint impact according to the GHG protocol (Greenhouse Gas Protocol), Scope 3, cradle to gate related to all individual components in the product category: "Corocord" represented by item no.: COR314011-1101.

(Scope 3 emissions include emission sources in the upstream and downstream value chain).

Date: 30. October 2023 | Valid until: 30. October 2025

Verified by:

Julie Marie Vejsgaard Larsen, LCA & EPD Consultant

Verification based on report: Validation of CO₂ calculation of 9 categories of Kompan product line, version 1.0, prepared by: Bureau Veritas HSE, Denmark: Julie M. V. Larsen.

Publication date: 30. October 2023

By Bureau Veritas HSE
www.bureauveritas.dk
+45 7731 1000





Chimpanzee Trail

CRP250401

最大跌落高度 | 总高度 | 安全区域

最大跌落高度 | 总高度



[点击查看俯视图](#)

[点击查看侧面图](#)