Cityhopper

M192



Item no. M19201-01			
General Product Information			
Dimensions LxWxH	50x72x73 cm		
Age group	2+		
Play capacity (users)	1		
Colour options	•		



The City Hopper with its circular appearance and fun rocking capability attracts and supports children's play again and again. The circular un hand and footrests allow for a variation of ch support heights, accommodating more age st groups. The rocking sensation is a great C movement response. Movement response is an

among the top play attractions for children, it

adds a feeling of control to the child's play. The responsive movement also trains the understanding of cause and effect in young children: that actions affect the world. This stimulates logical thinking. Rocking the Cityhopper trains the child's sense of balance and space and also builds arm and leg muscles, holding tight and pushing feet hard to increase speed. All of these basic motor and muscle skills build up the child's bodily cognition and life skills such as being able to navigate traffic securely.



Cityhopper

M192







Rocking together Social-Emotional: the possibility of rocking two together trains cooperation skills and consideration of others.



The circular hand and foot rest Physical: the handhold provides a good grip, necessary for rocking intensely. This trains the hand and arm muscles and supports muscles and coordination.

KON

Cityhopper







The steel surfaces are hot-dip galvanised inside and outside with lead-free zinc. The galvanisation has excellent corrosion resistance in outside environments and requires low maintenance.

KOMPAN's springs are manufactured from highquality spring steel. The springs are cleaned by phosphating before being painted with epoxy primer and polyester powder coating. The springs are fixed by unique anti-pinch fittings for maximum safety and longevity. The springs are fixed by unique anti-pinch fittings for maximum safety and longevity.

Item no. M19201-01				
Installation Information				
Max. fall height		60 cm		
Safety surfacing area		7.7 m²		
Total installation time		1.5		
Excavation volume	0	.21 m³		
Concrete volume	0	.00 m³		
Footing depth (standard)		42 cm		
Shipment weight		34 kg		
Anchoring options	In-ground	~		
	Surface	~		
Warranty Information				
EcoCore HDPE	Li	Lifetime		
Galvanised Steel	Lifetime			
Spare Parts Guarantee	10 years			
Springs	5 years			

Let's pla



The seats are made from 19mm EcoCore[™] which is a highly durable, eco-friendly material, that is not only recyclable after use, but also consists of a core produced from 100% recycled material.



Sustainability Data

M192



Cradle to Gate A1-A3	Total CO ₂ emission	CO₂e/kg	Recycled materials
	kg CO₂e	kg CO₂e/kg	%
M19201-01	76.26	2.62	45.13

The overall framework applied for these factors is the Environmental Product Declaration (EPD), which quantifies "environmental information on the life cycle of a product and enable comparisons between products fulfilling the same function" (ISO, 2006). This follows the structure and applies a Life-Cycle Assessment approach to the entire Product stage from raw material through manufacturing (A1-A3))

KOMPAN Let's play

Kompan A/S C.F. Tietgens Boulevard 32C DK-5220 Odense SØ Denmark



Verification of CO₂ calculation of: Freestanding play equipment



Data version no. 2023-10-05

The CO_2 calculation and data are in compliance with the principles of a carbon footprint impact according to the GHG protocol (Greenhouse Gas Protocol), Scope 3, cradle to gate related to all individual components in the product category: "Freestanding play equipment" represented by item no.: GXY916012-3417.

(Scope 3 emissions include emission sources in the upstream and downstream value chain).

Date: 30. October 2023 | Valid until: 30. October 2025 Verified by:

mind

Julie Marie Vejsgaard Larsen, LCA & EPD Consultant

Verification based on report: Validation of CO₂ calculation of 9 categories of Kompan product line, version 1.0, prepared by: Bureau Veritas HSE, Denmark: Julie M. V. Larsen.

Publication date: 30. October 2023




By Bureau Veritas HSE

www.bureauveritas.dk


+45 7731 1000








* Max fall height | ** Total height





M19201

Click to see TOP VIEW

*60cm

Click to see SIDE VIEW

5 / 05/23/2024