

# Meeting Point with Movable Hammocks

PCM704




WOW! The Meeting Point with Movable Hammocks takes the prize as the most fun meeting point on ground level. The two hammocks can be run from side to side, placing them closer together or further apart. This creates an adjustable, swaying platform for socializing, stimulating turn-taking skills and cooperation. The feeling of the solid hammock

against the full body when lying adds body pressure, known to calm anxiety. The hammock, rail and seating combinations support fun body positions: Children can be seated, lying, standing or kneeling when relaxing together. That makes the Meeting Point with Movable Hammocks relevant for most ages and abilities. The open design and

variation of stable and swaying seating options allow for movement throughout. This is pleasant furniture for playful meetings.

|                             |                   |
|-----------------------------|-------------------|
| Item no. PCM704-0902        |                   |
| General Product Information |                   |
| Dimensions LxWxH            | 10'10"x11'4"x9'6" |
| Age group                   | 5 - 12            |
| Play capacity (users)       | 12                |
| Color options               |                   |



# Meeting Point with Movable Hammocks

PCM704



## Multiple benches

**Social-Emotional:** meeting, sharing, and having a break in a transparent setting.



## Movable hammock

**Physical:** sense of balance when swaying, body pressure when lying. Support users lying or seated. **Social-Emotional:** meeting, pushing friends gently back and forth, turn-taking. **Creative:** changing direction and position of hammock.

# Meeting Point with Movable Hammocks

PCM704



Panels of 19mm EcoCore™. EcoCore™ is a highly durable, eco friendly material, which is not only recyclable after use, but also consists of a core produced from 100% recycled material.



The steps are made of High Pressure Laminate HPL with a thickness 17,8mm and non skid surface texture according to EN 438-6. KOMPAN HPL has high wearing strength to ensure long lifetime in all climates.



The steel surfaces are hot-dip galvanized inside and outside with lead-free zinc. The galvanization has excellent corrosion resistance in outside environments and requires minimal maintenance.



Hammock seat is made of PUR. All components retain their properties in the temperature range of -30°C to 60°C. All materials are UV stabilized to a maximum without use of heavy metal stabilities.



The curved bars for hammocks are made of stainless steel to ensure durability and high corrosion resistance.



Steel posts are galvanized inside and outside with powder coated top finish. This provides an ultimate corrosion resistance in all climates around the world.

|                          |                          |
|--------------------------|--------------------------|
| Item no. PCM704-0902     |                          |
| Installation Information |                          |
| Max. fall height         | 1'11"                    |
| Safety surfacing area    | 433ft²                   |
| Total installation time  | 11.3                     |
| Excavation volume        | 0.43yd³                  |
| Concrete volume          | 0.1yd³                   |
| Footing depth (standard) | 2'9"                     |
| Shipment weight          | 951lbs                   |
| Anchoring options        | In-ground ✓<br>Surface ✓ |
| Warranty Information     |                          |
| EcoCore HDPE             | Lifetime                 |
| Hot dip galvanized steel | Lifetime                 |
| Membrane                 | 2 Years                  |
| Post                     | 10 Years                 |
| Spare Parts Availability | 10 Years                 |

| Elevated activities 0 | Accessible elevated activities | Accessible ground level activities | Accessible ground level play types |
|-----------------------|--------------------------------|------------------------------------|------------------------------------|
| Present               | 0                              | 1                                  | 1                                  |
| Required              | 0                              | 1                                  | 1                                  |

**ASTM  
F1487**  
compliant

# Sustainability Data

PCM704



| Cradle to Gate A1-A3 | Total CO <sub>2</sub> emission | CO <sub>2</sub> e/kg    | Recycled materials |
|----------------------|--------------------------------|-------------------------|--------------------|
|                      | kg CO <sub>2</sub> e           | kg CO <sub>2</sub> e/kg | %                  |
| PCM704-0902          | 924.47                         | 2.92                    | 52.58              |


The overall framework applied for these factors is the Environmental Product Declaration (EPD), which quantifies "environmental information on the life cycle of a product and enable comparisons between products fulfilling the same function" (ISO, 2006). This follows the structure and applies a Life-Cycle Assessment approach to the entire Product stage from raw material through manufacturing (A1-A3))



Kompan A/S  
C.F. Tietgens Boulevard 32C  
DK-5220 Odense SØ  
Denmark



Verification of CO<sub>2</sub> calculation of:  
Park



Data version no. 2023-10-05

The CO<sub>2</sub> calculation and data are in compliance with the principles of a carbon footprint impact according to the GHG protocol (Greenhouse Gas Protocol), Scope 3, cradle to gate related to all individual components in the product category: "Park" represented by item no.: PAR4070-0001.

(Scope 3 emissions include emission sources in the upstream and downstream value chain).

Date: 30. October 2023 | Valid until: 30. October 2025  
Verified by:

Julie Marie Vejsgaard Larsen, LCA & EPD Consultant

Verification based on report: Validation of CO<sub>2</sub> calculation of 9 categories of Kompan product line, version 1.0, prepared by: Bureau Veritas HSE, Denmark: Julie M. V. Larsen.

Publication date: 30. October 2023

By Bureau Veritas HSE  
www.bureauveritas.dk  
+45 7731 1000




# Meeting Point with Movable Hammocks


PCM704

\* Max fall height | \*\* Total height | \*\*\* Safety surfacing area

\* Max fall height | \*\* Total height



[Click to see TOP VIEW](#)



[Click to see SIDE VIEW](#)