
Agora Picnic Backrest Module - Red HPL


PAR4094





AGORA BACKREST MODULE is component for AGORA PICNIC, part of the awarded funiture line from KOMPAN. AGORA offers a high level of flexibility when it comes to anchoring, color and material options in order to inspirit architectural creativity and to fit the site specific requirements for individual customer projects. AGORA comes in durable

and robust design, and is manufactured with low maintenance materials to ensure long lasting outdoor solutions with the lowest possible total cost of ownership.





Agora Picnic Backrest Module - Red HPL

PAR4094



15 years

10 years

10 years



All boards are made of High Pressure Laminate HPL with a thickness of 17.8mm according to EN 438-6 and has a nonskid surface texture. The multilayer construction makes the boards durable and suitable for outdoor use with a high UV stability and high resistance to impacts, scratches, fire, water and humidity.



Steel internal surfaces are hot-dip galvanised, and the outside surfaces are lead and zinc free. Galvanisation has excellent corrosion resistance within outdoor environments and requires very little maintenance. Painted steel parts are hot-dip galvanised and then powder coated.



Galvanisation is manufactured with a two-step process which includes light grinding and clean sweeping, which is then finished with a top powder coating to 70-120 µm thickness.

Item no. PAR4094-0001	_
Installation Information	
Total installation time	0.3
Excavation volume	0.00 m³
Concrete volume	0.00 m³
Footing depth (standard)	0 cm
Shipment weight	23 kg
Anchoring options	
Warranty Information	
Galvanised Steel	Lifetime

HPL

Painted Toplayer

Spare Parts Guarantee



The Agora picnic tables are available in 5 different HPL colors for the boards and further 9 different steel colors.



The standard available benches and tables can be customised up with back support, armrests, tables to create unique solutions for your project needs and locations.



The hardware is made of stainless steel or galvanised steel to ensure durable connections with a high corrosion resistance.

Sustainability Data

PAR4094






C.F. Tietgens Boulevard 32C DK-5220 Odense SØ Denmark



Verification of CO₂ calculation of: Park



Data version no. 2023-10-05

The $\mathrm{CO_2}$ calculation and data are in compliance with the principles of a carbon footprint impact according to the GHG protocol (Greenhouse Gas Protocol), Scope 3, cradle to gate related to all individual components in the product category: "Park" represented by item no.: PAR4070-0001.

(Scope 3 emissions include emission sources in the upstream and downstream value chain).

Date: 30. October 2023 | Valid until: 30. October 2025 Verified by:

mode

Julie Marie Vejsgaard Larsen, LCA & EPD Consultant

Verification based on report: Validation of CO_2 calculation of 9 categories of Kompan product line, version 1.0, prepared by: Bureau Veritas HSE, Denmark: Julie M. V. Larsen.

Publication date: 30. October 2023





The overall framework applied for these factors is the Environmental Product Declaration (EPD), which quantifies "environmental information on the life cycle of a product and enable comparisons between products fulfilling the same function" (ISO, 2006). This follows the structure and applies a Life-Cycle Assessment approach to the entire Product stage from raw material through manufacturing (A1-A3))