

Bicycle Stand

PAR3001



Item no. PAR3001-0401	
General Product Information	
Dimensions LxWxH	0'9"x0'2"x2'9"
Age group	-
Play capacity (users)	-
Color options	<input type="radio"/> <input type="radio"/>



We are in the great bicycle revolution. Fuelled by a green and healthy way of commuting, cities globally are rethinking how to make it easier to cycle. The new stands are compact, stylish and can accommodate every type of bike and lock.

Bicycle Stand

PAR3001




The steel surfaces are hot dip galvanized inside and outside with lead free zinc. The galvanization has excellent corrosion resistance in outdoor environments and require low maintenance. Painted steel parts are hot dip galvanized before powder coating.



Powder coated top finish on top of galvanization is processed in two steps: Light grinding and clean sweeping, powder coating - thickness 70-120 µm.



Minimalist and robust, the stands are bike friendly with no damaging sharp edges. The Stands can accommodate every type of bike and lock.



The bicycle stand has a capacity of two bicycles and when placed in line the recommended distance from stand to stand is 1000mm

Item no. PAR3001-0401

Installation Information

Total installation time	0.1
Excavation volume	0.07yd ³
Concrete volume	0.07yd ³
Footing depth (standard)	1'4"
Shipment weight	17lbs
Anchoring options	In-ground ✓

Warranty Information

Hot dip galvanized steel	Lifetime
Painted toplayer	10 Years
Spare Parts Availability	10 Years

Sustainability Data

PAR3001



Cradle to Gate A1-A3	Total CO ₂ emission	CO ₂ e/kg	Recycled materials
	kg CO ₂ e	kg CO ₂ e/kg	%
PAR3001-0401	15.46	2.57	50.00

The overall framework applied for these factors is the Environmental Product Declaration (EPD), which quantifies "environmental information on the life cycle of a product and enable comparisons between products fulfilling the same function" (ISO, 2006). This follows the structure and applies a Life-Cycle Assessment approach to the entire Product stage from raw material through manufacturing (A1-A3))

Kompan A/S
 C.F. Tietgens Boulevard 32C
 DK-5220 Odense SØ
 Denmark



Verification of CO₂ calculation of: Park



Data version no. 2023-10-05

The CO₂ calculation and data are in compliance with the principles of a carbon footprint impact according to the GHG protocol (Greenhouse Gas Protocol), Scope 3, cradle to gate related to all individual components in the product category: "Park" represented by item no.: PAR4070-0001.

(Scope 3 emissions include emission sources in the upstream and downstream value chain).

Date: 30. October 2023 | Valid until: 30. October 2025

Verified by:

Julie Marie Vejsgaard Larsen, LCA & EPD Consultant

Verification based on report: Validation of CO₂ calculation of 9 categories of Kompan product line, version 1.0, prepared by: Bureau Veritas HSE, Denmark: Julie M. V. Larsen.

Publication date: 30. October 2023

By Bureau Veritas HSE
 www.bureauveritas.dk
 +45 7731 1000

