M526





Children will love this playroom on wheels - with its interesting features of tables, benches and shelves, there is everything a traveller needs when setting out on a long train journey. Hurry up and buy your tickets please! Stand back from the edge of the platform! The whistle blows, and with passengers waving to friends, the train journey begins.

Item no. M52670-3417P

General Product Information

Dimensions LxWxH 297x123x165 cm
Age group 2+
Play capacity (users) 8
Colour options











M526





Bench Social-Emotional: gathering, cooperating or taking a break from play - all train social skills.







Open space

Social-Émotional: the open space allows for more children to be together and share. Important life skills like courage, self-confidence, consideration and turn-taking are built





Theme

Cognitive: suggests a theme and supports dramatic play, which stimulates language and communication skills.

M526





Panels of 19mm EcoCore™. EcoCore™ is a highly durable, eco friendly material, which is not only recyclable after use, but also consists of material produced from +95% recycled post consumer material from food packing waste.



Foot support is made of HPL with a thickness of 17,8mm with a very high wearing strength and a unique KOMPAN nonskid surface texture.



The steel surfaces are hot dip galvanised inside and outside with lead free zinc. The galvanisation has excellent corrosion resistance in outside environments and requires low maintenance.

110111110. MIOZO7 0 04171					
Installation Information					
Max. fall height		28 cm			
Safety surfacing area	2	2.1 m²			
Total installation time		12.4			
Excavation volume	0	.44 m³			
Concrete volume	0	.00 m³			
Footing depth (standard)		60 cm 442 kg			
Shipment weight	4				
Anchoring options	In-ground	~			
	Surface	~			

Item no. M52670-3417P

Warranty Information EcoCore HDPE Lifetime Hot dip galvanised steel Lifetime HPL decks 15 years PUR components 10 years Spare parts guaranteed 10 years



Edge protection is made of PUR. It retains its properties in the temperature range of -30°C to 60°C. Material is UV stabilised.



KOMPAN GreenLine versions are designed with ultimate environmentally friendly materials with lowest possible CO2e emission factor such as EcoCoreTM panels of +95% post consumer recycled ocean waste.



Sustainability Data







Cradle to Gate A1-A3	Total CO ₂ emission	(:() ₂ A/ka	
	kg CO₂e	kg CO₂e/kg	%
M52670-3417P	545.01	1.61	58.46


The overall framework applied for these factors is the Environmental Product Declaration (EPD), which quantifies "environmental information on the life cycle of a product and enable comparisons between products fulfilling the same function" (ISO, 2006). This follows the structure and applies a Life-Cycle Assessment approach to the entire Product stage from raw material through manufacturing (A1-A3))






* Max fall height | ** Total height | *** Safety surfacing area

* Max fall height | ** Total height





Click to see TOP VIEW

Click to see SIDE VIEW