



# Railway Carriage

M526



Item no.	
General Product Information	
Dimensions LxWxH	297x123x165 cm
Age group	2+
Play capacity (users)	8
Colour options	



Children will love this playroom on wheels - with its interesting features of tables, benches and shelves, there is everything a traveller needs when setting out on a long train journey. Hurry up and buy your tickets please! Stand back from the edge of the platform! The whistle blows, and with passengers waving to friends, the train journey begins.



# Railway Carriage

M526



## Bench

**Social-Emotional:** gathering, cooperating or taking a break from play - all train social skills.



## Theme

**Cognitive:** suggests a theme and supports dramatic play, which stimulates language and communication skills.



## Open space

**Social-Emotional:** the open space allows for more children to be together and share. Important life skills like courage, self-confidence, consideration and turn-taking are built.

# Railway Carriage

M526




Panels of 19mm EcoCore™. EcoCore™ is a highly durable, eco friendly material, which is not only recyclable after use, but also consists of material produced from +95% recycled post consumer material from food packing waste.

Foot support is made of HPL with a thickness of 17,8mm with a very high wearing strength and a unique KOMPAN nonskid surface texture.

The steel surfaces are hot dip galvanised inside and outside with lead free zinc. The galvanisation has excellent corrosion resistance in outside environments and requires low maintenance.

Item no.	
Installation Information	
Max. fall height	28 cm
Safety surfacing area	22.1 m <sup>2</sup>
Total installation time	
Excavation volume	
Concrete volume	
Footing depth (standard)	
Shipment weight	
Anchoring options	In-ground ✓ Surface ✓
Warranty Information	
EcoCore HDPE	Lifetime
Hot dip galvanised steel	Lifetime
HPL decks	15 years
PUR components	10 years
Spare parts guaranteed	10 years




Edge protection is made of PUR. It retains its properties in the temperature range of -30°C to 60°C. Material is UV stabilised.

KOMPAN GreenLine versions are designed with ultimate environmentally friendly materials with lowest possible CO<sub>2</sub>e emission factor such as EcoCore™ panels of +95% post consumer recycled ocean waste.



# Sustainability Data

M526



**Cradle to Gate A1-A3**

**Total CO<sub>2</sub>  
emission**

**CO<sub>2</sub>e/kg**

**Recycled  
materials**

kg CO<sub>2</sub>e

kg CO<sub>2</sub>e/kg

%




The overall framework applied for these factors is the Environmental Product Declaration (EPD), which quantifies "environmental information on the life cycle of a product and enable comparisons between products fulfilling the same function" (ISO, 2006). This follows the structure and applies a Life-Cycle Assessment approach to the entire Product stage from raw material through manufacturing (A1-A3))

# Railway Carriage


M526

\* Max fall height | \*\* Total height | \*\*\* Safety surfacing area

\* Max fall height | \*\* Total height



M52674  
\*28cm  
\*\*165cm  
\*\*\*22.1m<sup>2</sup>



[Click to see TOP VIEW](#)

[Click to see SIDE VIEW](#)