
NRO901





The One Seat Swing is a sturdy entry-level swing for the small children of the family. The toddlers can learn the dynamics of a swing while enjoying close contact with the carer. The rubber seat is also placed at the right height for a child to lie on their stomach, push with their feet, and feel the swinging motion. This trains the child's motor skills, confidence, and sense

of balance and space. These are fundamental to the development of young children.



















NRO901





Low, rubber swing seat
Physical: support for pushing with feet,
developing leg muscles and sense of balance,
coordination, as well as spatial awareness.
Social-Emotional: self-confidence is fostered
from being able to do it yourself. Cognitive:
understanding of 'cause and effect'.



NRO901





All organic Robinia products by KOMPAN are made of Robinia wood which is sourced from sustainable plantation farms. On request it can be supplied as FSC® Certified (FSC® C004450).



The standard seats of KOMPAN swings are engineered for maximum safety and durability. The seat two component seat with a PP inner core and outside rubber is produced in one operation. The seats are available with swing chains of either hot-dip galvanised steel or stainless steel for all swings heights.



Swing suspensions are made of polyamide and consist of a double ball bearing system with swivel.



Installation Information Max. fall height 100 cm Safety surfacing area 11.4 m² Total installation time 2.3 Excavation volume 0.14 m³ 0.07 m³ Concrete volume Footing depth (standard) 100 cm Shipment weight 133 kg Anchoring options In-ground

Item no. NRO901-1001

Warranty Information PUR Components 10 years Robinia Wood 15 years Spare Parts Guarantee 10 years Stainless Steel Lifetime Components



The Robinia wood can be supplied as untreated raw wood or painted with a brown coloured transparent pigment that maintains the golden wood colour of the wood.



Sustainability Data

NRO901





Cradle to Gate A1-A3	Total CO₂ emission	CO₂e/kg	Recycled materials
	kg CO₂e	kg CO₂e/kg	%
NRO901-1001	35.01	0.37	2.18

The overall framework applied for these factors is the Environmental Product Declaration (EPD), which quantifies "environmental information on the life cycle of a product and enable comparisons between products fulfilling the same function" (ISO, 2006). This follows the structure and applies a Life-Cycle Assessment approach to the entire Product stage from raw material through manufacturing (A1-A3))

Kompan A/S

C.F. Tietgens Boulevard 32C DK-5220 Odense SØ Denmark



Verification of CO₂ calculation of: Nature play



Data version no. 2023-10-05

The CO_2 calculation and data are in compliance with the principles of a carbon footprint impact according to the GHG protocol (Greenhouse Gas Protocol), Scope 3, cradle to gate related to all individual components in the product category: "Nature play" represented by item no.: NRO409-0621.

(Scope 3 emissions include emission sources in the upstream and downstream value chain).

Date: 30. October 2023 | Valid until: 30. October 2025 Verified by:

mais

Julie Marie Vejsgaard Larsen, LCA & EPD Consultant

Verification based on report: Validation of ${\rm CO_2}$ calculation of 9 categories of Kompan product line, version 1.0, prepared by: Bureau Veritas HSE, Denmark: Julie M. V. Larsen.

Publication date: 30. October 2023

By Bureau Veritas HSE www.bureauveritas.dk +45 7731 1000









* Max fall height | ** Total height | *** Safety surfacing area

* Max fall height | ** Total height



NRO901 *80cm **195cm ***11.4m²



Click to see TOP VIEW

Click to see SIDE VIEW