CRP810201





General Product Information

Dimensions LxWxH 750x740x255 cm
Age group 2+
Play capacity (users) 42
Colour options



Marvelous Mini Dome amazes children with its richness in play variation and detail, again and again. The Dome can be entered from all over: bouncy membranes, nets, climbing ropes, and stairs take the toddlers to the top membrane circle. This bouncing viewpoint invites friends to meet. Under it, a cozy den is created with varied climb or peep-through membranes that

invite play classics such as peek-a-boo. The panels and hammock around the central nets allow for dramatic play and exploration with sensory details. The slide is a play magnet and completes the play offerings that train motor skills such as balance, coordination and proprioception. These are fundamental in moving the body confidently and securely. The

varied movements additionally instill an understanding of space, shapes, and measures which is fundamental for understanding mathematics. The Mini Dome offers great play capacity, so children learn turn-taking skills through play and make friends that way.





CRP810201









## Inclined net with membrane

Physical: the inclined net supports the upward climbing movement of the body, which stimulates cross-body coordination and muscle strength. The bouncy membrane develops the sense of balance when children iump, stand or sit here. Social-Emotional: the big net allows for more children to be active together, seated or lying.













Physical: develops spatial awareness, sense of balance and trains core muscles when sitting upright going down. Social-Emotional: invites socialising, supports parent-child and peer-to-peer play. Cognitive: young children train their understanding of space, speed and distances when sliding down.







Cognitive: understanding of individuality and self expression. Stimulates dramatic play, language and communication skills..



to place curtains.

Window with curtains

skills, when children explore the



Physical: tactile stimulation supports sensory

Emotional: social interaction between inside

Dramatic play support, encouraging language

skills. Creative: leaving a mark, deciding how

characteristics of the materials. Social-

and outside, supporting turn-taking and

object permanence playing peek-a-boo.

cooperation. Cognitive: understanding of











Cognitive: supports understanding of measures.





Physical: the sense of balance and space is

supported when entering the slightly bouncing

membrame. This trains the understanding of

Emotional: children develop courage when

climbing and being up high. This positively

affects self-confidence. The top membrane

provides a great place to be together with

time, space and measures important in

moving the body in securely. Social-





## Crawl-through hole

Physical: the hole allows for climbing and crawling through, developing cross coordination, proprioception and spatial awareness. Social-Emotional: cooperation and turn-taking when passing one another. Cognitive: understanding space, shape and measures when seeing if the body can fit through the hole.



Top circular membrane

friends.













CRP810201





Panels of 19mm EcoCore™. EcoCore™ is a highly durable, eco friendly material, which is not only recyclable after use, but also consists of material produced from +95% recycled post consumer material from food packing waste.



The steel arches are hot-dip galvanised inside and outside with lead free zinc. The galvanisation has excellent corrosion resistance in outside environments and requires low maintenance.



The slides can be chosen in six different colors and two materials: Molded PE slides made with 33% post consumer materials or full stainless steel in one-piece design for more vandalism proof solutions.

Max. fall height127 cmSafety surfacing area73.1 m²Total installation time36.6Excavation volume9.08 m³Concrete volume4.83 m³Footing depth (standard)90 cmShipment weight1,010 kg

Item no. CRP810201-0903
Installation Information

Surface 🗸

In-ground

# Warranty Information Corocord (Hercules) 10 years Rope EcoCore HDPE Lifetime Hollow PE parts 10 years Galvanised Steel Lifetime Spare Parts Guarantee 10 years



Ropes of UV-stabilized PES rope strands with inner steel cable reinforcement. The polyester yarn is made of +95% Post-consumer materials and is inductively melted onto each strand to obtain excellent wear and tear resistance.



Designed to allow the typical function of rope play structures to move Corocord 'S' clamps are used as universal connections in Corocord products. 8mm stainless steel rods with rounded edges are pressed around the ropes with a special hydraulic press, making them the ideal connector. Our clamps are safe, durable and vandalism-proof.



Corocord smart clamps are carefully designed in every detail to ensure superior flexibility in high quality aluminum material. The smart clamps are attached around the posts with four steel bolts. Not used attachment points are closed with PA caps.




Anchoring options

# **Sustainability Data**

CRP810201





Cradle to Gate A1-A3	Total CO <sub>2</sub> emission	CO₂e/kg	Recycled materials
	kg CO₂e	kg CO₂e/kg	%
CRP810201-0903	2,138.29	2.87	50.81

The overall framework applied for these factors is the Environmental Product Declaration (EPD), which quantifies "environmental information on the life cycle of a product and enable comparisons between products fulfilling the same function" (ISO, 2006). This follows the structure and applies a Life-Cycle Assessment approach to the entire Product stage from raw material through manufacturing (A1-A3))

## Kompan A/S

C.F. Tietgens Boulevard 32C DK-5220 Odense SØ Denmark



## Verification of CO<sub>2</sub> calculation of: Corocord



Data version no. 2023-10-05

The  $\mathrm{CO}_2$  calculation and data are in compliance with the principles of a carbon footprint impact according to the GHG protocol (Greenhouse Gas Protocol), Scope 3, cradle to gate related to all individual components in the product category: "Corocord" represented by item no.:  $\mathrm{COR314011}$ -1101.

(Scope 3 emissions include emission sources in the upstream and downstream value chain).

Date: 30. October 2023 | Valid until: 30. October 2025 Verified by:

made

Julie Marie Vejsgaard Larsen, LCA & EPD Consultant

Verification based on report: Validation of  $CO_2$  calculation of 9 categories of Kompan product line, version 1.0, prepared by: Bureau Veritas HSE, Denmark: Julie M. V. Larsen.

Publication date: 30. October 2023

By Bureau Veritas HSE www.bureauveritas.dk +45 7731 1000





CRP810201



\* Max fall height | \*\* Total height | \*\*\* Safety surfacing area

\* Max fall height | \*\* Total height





Click to see TOP VIEW

Click to see SIDE VIEW