4-Seat Steel Frame H:2.5m

KSW924



	KOMPAN Let's play	
Item no. KSW924-0910		
General Product Information		
Dimensions LxWxH Age group Play capacity (users)	710x184x255 cm 2+ -	

_ •/

Portal swings are a modern update on a traditional favourite, constructed from galvanised steel. The swings are available in three heights: 2.0m for preschool, 2.5m and 3.0m for school age playgrounds. This highly modular system makes it possible to offer multi-bay swings with as many additional bays as you wish. Each section can be equipped with standard, toddler, cradle or bird's nest seats. Anti-wrap suspensions are available for both standard and cradle seats.



Color options

4-Seat Steel Frame H:2.5m

KSW924



Item no. KSW924-0910			
Installation Information			
Total installation time		7.0	
Excavation volume	1.68	8 m³	
Concrete volume	0.0	0.00 m³	
Footing depth (standard)	90	90 cm	
Shipment weight	29	295 kg	
Anchoring options	In-ground	~	



Sustainability Data

Cradle to Gate A1-A3

KSW924-0910

KSW924



Kompan A/S C.F. Tietgens Boulevard 32C DK-5220 Odense SØ Denmark



Verification of CO, calculation of: Freestanding play equipment



Data version no. 2023-10-05

The CO₂ calculation and data are in compliance with the principles of a carbon footprint impact according to the GHG protocol (Greenhouse Gas Protocol), Scope 3, cradle to gate related to all individual components in the product category: "Freestanding play equipment" represented by item no.: KSW92011-0910.

(Scope 3 emissions include emission sources in the upstream and downstream value chain).

Date: 30. October 2023 | Valid until: 30. October 2025 Verified by:

mais

Julie Marie Vejsgaard Larsen, LCA & EPD Consultant

Verification based on report: Validation of CO, calculation of 9 categories of Kompan product line, version 1.0, prepared by: Bureau Veritas HSE, Denmark: Julie M. V. Larsen.

Publication date: 30. October 2023



www.bureauveritas.dk +45 7731 1000



The overall framework applied for these factors is the Environmental Product Declaration (EPD), which quantifies "environmental information on the life cycle of a product and enable comparisons between products fulfilling the same function" (ISO, 2006). This follows the structure and applies a Life-Cycle Assessment approach to the entire Product stage from raw material through manufacturing (A1-A3))

Total CO2

emission

kg CO₂e

670.00

CO2e/kg

kg CO₂e/kg

3.19

Recycled

materials

%

46.80