
Toddlers Castle

MSC5417



Item no. MSC541701-3417P		
General Product Information		
Dimensions LxWxH	277x205x149 cm	
Age group	2 - 5	
Play capacity (users)	8	
Colour options		





Wow! The toddler's castle will immediately attract the youngest children to move their bodies and experience the thrill of crawling or walking up and sliding down. There is thrill built in every step along the way, and stories to be imagined in and around this special structure. This supports longer playtimes that enhance over-all development for children. Walking up the stairs helps young children to crosscoordinate, which is crucial e.g. for later reading skills. Sliding down is thrill-ling fun and it builds core muscles and a sense of space and balance. These are fundamental motor skills that support the toddler's physical mastery. The richness of sound, touch and socialize-elements invites a play journey: on the platform a flower window distorts the voice, a learning experience. A table with play ring invites breaks, adding to the socializing.

Toddlers Castle

MSC5417





Slide

Physical: sliding develops spatial awareness and a sense of balance. Furthermore, the core muscles are trained when sitting upright going down. Social-Emotional: empathy stimulated by turn-taking. Cognitive: young children develop their understanding of space, speed and distances when sliding down quickly.





Stairway Physical: climbing the stairs supports cross coordination as well as arm and leg muscles. Social-Emotional: room for active breaks and adult helpers.



Bubble Window Social-Emotional: invites interaction between outside and inside. Cognitive: distorts the sound of the voice, developing logical

thinking.



Desk with ring Social-Emotional: a place for meeting and exchanging. **Creative:** sand and construction play encouraged with sieve in desk.

Toddlers Castle



MSC5417



Panels of 19mm EcoCore[™]. EcoCore[™] is a highly durable, eco friendly material, which is not only recyclable after use, but also consists of material produced from +95% recycled post consumer material from food packing waste.




The steel surfaces are hot dip galvanised inside and outside with lead free zinc. The galvanisation has excellent corrosion resistance in outside environments and requires low maintenance.




Platform and seats are made of HPL with a thickness of 17,8mm with a very high wearing strength and a unique KOMPAN nonskid surface texture.

Item no. MSC541701-3417P			
Installation Information			
Max. fall height	13	5 cm	
Safety surfacing area	28.	0 m²	
Total installation time	8.9		
Excavation volume	0.30 m³		
Concrete volume	0.00 m³		
Footing depth (standard)	60 cm		
Shipment weight	198 kg		
Anchoring options	In-ground 🗸		
	Surface	~	
Warranty Information			
EcoCore HDPE	Lifetime		
Hot dip galvanised steel	Lifetime		
Movable parts	2 years		
Spare parts guaranteed	10 years		



On the side of the wall there is a transparent bubble made from UV-stabilised PC.



The slide bed can be chosen in different materials: Straight moulded PE or stainless steel slide bed t=2mm. Sides of the slides are made of EcoCore™.

۵)

Sand strainer is made of high-quality stainless

steel to ensure durability of the product.

Accessible Accessible Accessible Elevated ground ground elevated level play activities 2 level activities activities types Present 2 1 1 1 1 Required 1



Sustainability Data

Cradle to Gate A1-A3

MSC541701-3417P

MSC5417



Kompan A/S C.F. Tietgens Boulevard 32C DK-5220 Odense SØ Denmark



Verification of CO₂ calculation of: Themed play systems



Data version no. 2023-10-05

The CO_2 calculation and data are in compliance with the principles of a carbon footprint impact according to the GHG protocol (Greenhouse Gas Protocol), Scope 3, cradle to gate related to all individual components in the product category: "Themed play systems" represented by item no.: MSC641100-3717P.

(Scope 3 emissions include emission sources in the upstream and downstream value chain).

Date: 30. October 2023 | Valid until: 30. October 2025 Verified by:

maiz

Julie Marie Vejsgaard Larsen, LCA & EPD Consultant

Verification based on report: Validation of CO₂ calculation of 9 categories of Kompan product line, version 1.0, prepared by: Bureau Veritas HSE, Denmark: Julie M. V. Larsen.

Publication date: 30. October 2023

By Bureau Veritas HSE www.bureauveritas.dk +45 7731 1000



The overall framework applied for these factors is the Environmental Product Declaration (EPD), which quantifies "environmental information on the life cycle of a product and enable comparisons between products fulfilling the same function" (ISO, 2006). This follows the structure and applies a Life-Cycle Assessment approach to the entire Product stage from raw material through manufacturing (A1-A3))

Total CO2

emission

kg CO₂e

282.59

CO2e/kg

kg CO₂e/kg

1.95

Recycled


materials

%

54.22




MSC5417



KOMPAN Let's play

* Max fall height | ** Total height





MSC541701P 1:100

Click to see TOP VIEW

Click to see SIDE VIEW

5 / 02/05/2025