Super Combi 2 Supervised

FSW252



	Let's play			
Item no. FSW25200-0900				
General Product Information				
Dimensions LxWxH	24'7"x24'6"x10'8"			
Age group	13+			
Play capacity (users)	16			
Color options				

ΚΟΜΡΔ

The Super Combi 2 Supervised offers a perfect blend of high, low, and dynamic elements for a comprehensive workout experience. Overhead activities include a snake bar, overhead ladder, and rings, which engage the upper body and improve coordination. The climbing rope and target shoot add fun and functional challenges, while the Mag Bells provide dynamic strength training. The universal parallel bars encourage exercise creativity and are accessible for wheelchair users. Integrated step platforms provide an added layer of versatility, supporting strength, jumping, and cardio exercises. This site is ideal for functional training, offering something for everyone, regardless of ability or fitness level. Keep in mind, his package is intended only for supervised or gated areas, as some of the included items do not satisfy safety standards for public places.



Super Combi 2 Supervised

FSW252





Post are made of 101.6 x 2mm, pre-galvanized carbon steel and powder coated, a great

protection to all conditions.





Installation Information				
Max. fall height		9'10"		
Safety surfacing area	(686ft²		
Total installation time		15.7		
Excavation volume	1.	63yd³		
Concrete volume	0.9	98yd³		
Footing depth (standard)		2'11"		
Shipment weight	19	52lbs		
Anchoring options	In-ground	~		
	Surface	~		
Warranty Information				
EcoCore HDPE	Lif	etime		
Hot dip galvanized steel	Lif	etime		
Movable parts	2	Years		
Spare Parts Availability	10	Years		
Opare Farts Availability	10	rouro		

Item no. FSW25200-0900





Sustainability Data

FSW252




Cradle to Gate A1-A3	Total CO₂ emission	CO₂e/kg	Recycled materials
	kg CO₂e	kg CO₂e/kg	%
FSW25200-0900	1,477.44	2.45	57.35

The overall framework applied for these factors is the Environmental Product Declaration (EPD), which quantifies "environmental information on the life cycle of a product and enable comparisons between products fulfilling the same function" (ISO, 2006). This follows the structure and applies a Life-Cycle Assessment approach to the entire Product stage from raw material through manufacturing (A1-A3))



Kompan A/S C.F. Tietgens Boulevard 32C DK-5220 Odense SØ Denmark







Data version no. 2023-10-05

The CO_2 calculation and data are in compliance with the principles of a carbon footprint impact according to the GHG protocol (Greenhouse Gas Protocol), Scope 3, cradle to gate related to all individual components in the product category: "Fitness" represented by item no.: FAZ10100-0900.

(Scope 3 emissions include emission sources in the upstream and downstream value chain).

Date: 30. October 2023 | Valid until: 30. October 2025 Verified by:

mais

Julie Marie Vejsgaard Larsen, LCA & EPD Consultant

Verification based on report: Validation of CO₂ calculation of 9 categories of Kompan product line, version 1.0, prepared by: Bureau Veritas HSE, Denmark: Julie M. V. Larsen.

Publication date: 30. October 2023



Data is subject to change without prior notice.


+45 7731 1000

By Bureau Veritas HSE

www.bureauveritas.dk





FSW252





* Max fall height | ** Total height





Click to see TOP VIEW

Click to see SIDE VIEW

4 / 09/13/2024