Cosmos Meeting Point

FRE3000





This unique design is very spacious and appealing to all. The Meeting Point is the perfect place for getting together with friends or relaxing. The roof consists of 4 screens providing protection from all types of weather conditions, while also providing a great view of the sky. The curved design of the comfortable benches ensure eye contact with the other

users wherever they are sitting, as there are many different ways to sit on the comfortable benches.

Item no. FRE3000-3417				
General Product Information				
Dimensions LxWxH	390x254x263 cm			
Age group	3+			
Play capacity (users)	-			
Colour options	•			






Cosmos Meeting Point

FRE3000





The steel surfaces are hot-dip galvanised inside and outside with lead-free zinc. The galvanisation has excellent corrosion resistance in outside environments and requires low maintenance.



Steel frame supports Ekogrip® panel to form the roof. The Ekogrip® panel consists of a 15mm thick PE base with 3 mm top-layer of rubber.



The large components are made of 100% recyclable PE made from 33% post consumer materials. Molded in one piece with minimum 5mm wall thickness to ensure high durability in all climates around the world.

Item no. FRE3000-3417				
Installation Information				
Max. fall height		0 cm		
Safety surfacing area	(0.0 m²		
Total installation time		8.4		
Excavation volume	1.	.87 m³		
Concrete volume	0.	.86 m³		
Footing depth (standard)		70 cm		
Shipment weight	3	376 kg		
Anchoring options	In-ground	•		
	Surface	>		
Warranty Information				
Hollow PE parts	10	years		
Galvanised Steel	Li	fetime		
Spare Parts Guarantee	10	years		



Sustainability Data

FRE3000





Cradle to Gate A1-A3	Total CO ₂ emission	CO₂e/kg	Recycled materials
	kg CO₂e	kg CO₂e/kg	%
FRE3000-3417	715.89	2.75	27.82


The overall framework applied for these factors is the Environmental Product Declaration (EPD), which quantifies "environmental information on the life cycle of a product and enable comparisons between products fulfilling the same function" (ISO, 2006). This follows the structure and applies a Life-Cycle Assessment approach to the entire Product stage from raw material through manufacturing (A1-A3))

Kompan A/S

C.F. Tietgens Boulevard 32C DK-5220 Odense SØ Denmark



Verification of CO₂ calculation of: Park



Data version no. 2023-10-05

The CO_2 calculation and data are in compliance with the principles of a carbon footprint impact according to the GHG protocol (Greenhouse Gas Protocol), Scope 3, cradle to gate related to all individual components in the product category: "Park" represented by item no.: PAR4070-0001.

(Scope 3 emissions include emission sources in the upstream and downstream value chain).

Date: 30. October 2023 | Valid until: 30. October 2025 Verified by:

made

Julie Marie Vejsgaard Larsen, LCA & EPD Consultant

Verification based on report: Validation of CO_2 calculation of 9 categories of Kompan product line, version 1.0, prepared by: Bureau Veritas HSE, Denmark: Julie M. V. Larsen.

Publication date: 30. October 2023

By Bureau Veritas HSE www.bureauveritas.dk +45 7731 1000




Cosmos Meeting Point

FRE3000




* Max fall height | ** Total height | *** Safety surfacing area

* Max fall height | ** Total height



FRE3000 **263cm 1:100



Click to see TOP VIEW

Click to see SIDE VIEW