# Agora Hangout Bench

PAR4063



Item no. PAR4063-0621		
General Product Information		
Dimensions LxWxH	4'11"x0'9"x2'4"	
Age group Play capacity (users)	_	
Color options		
·	••	





The AGORA HANGOUT offers a casual and informal seating opportunity suitable for most places. For example to give walkers a short break along a walkway, or kids a cool hangout spot in a schoolyard or what about a comfortable spot for watching sports? The design leaves a small footprint, making it ideal for narrow places or environments where space optimization is key.

Data is subject to change without prior notice.

# **Agora Hangout Bench**





PAR4063

Boards are made of ash wood from sustainable European sources. The ash wood is thermo treated according to CEN/TS 15679, durability class 2 according EN350-2.

Bench is made of pine wood post pressure impregnated class AB with Tanalith E3475 according to EN335.



The steel surfaces are hot dip galvanized inside and outside with lead free zinc. The galvanization has excellent corrosion resistance in outdoor environments and require low maintenance. Painted steel parts are hot dip galvanized before powder coating.

Item no. PAR4063-0621			
Installation Information			
Total installation time		0.5	
Excavation volume	0.14yd³		
Concrete volume	0.1yd³		
Footing depth (standard)	2'0"		
Shipment weight	64lbs		
Anchoring options	Surface 🗸		
	In-ground	~	
Warranty Information			
Ashwood	10 Y	10 Years	
Hot dip galvanized steel	Life	Lifetime	
Painted toplayer	10 Y	10 Years	
Pinewood	10 Y	10 Years	
Spare Parts Availability	10 Y	10 Years	



Powder coated top finish on top of galvanization is processed in two steps: Light grinding and clean sweeping, powder coating - thickness 70-120  $\mu m.$ 



The Agora assortment is available in 2 wood types and 9 different frame colors to match the selected color scheme of the play, sport or fitness site.



KOMPAN outdoor furniture is available for surface and in-ground installation. Surface installation involves anchoring to the base layer, and in-ground installation is direct in-ground or additional hot-dip galvanized steel brackets.



# **Sustainability Data**

Cradle to Gate A1-A3

PAR4063-0621

PAR4063



Kompan A/S C.F. Tietgens Boulevard 32C DK-5220 Odense SØ Denmark



Verification of CO, calculation of: Park



#### Data version no. 2023-10-05

The CO<sub>2</sub> calculation and data are in compliance with the principles of a carbon footprint impact according to the GHG protocol (Greenhouse Gas Protocol), Scope 3, cradle to gate related to all individual components in the product category: "Park" represented by item no.: PAR4070-0001.

(Scope 3 emissions include emission sources in the upstream and downstream value chain).

Date: 30. October 2023 | Valid until: 30. October 2025 Verified by:

#### mais

Julie Marie Vejsgaard Larsen, LCA & EPD Consultant

Verification based on report: Validation of CO, calculation of 9 categories of Kompan product line, version 1.0, prepared by: Bureau Veritas HSE, Denmark: Julie M. V. Larsen.

Publication date: 30. October 2023



**By Bureau Veritas HSE** www.bureauveritas.dk +45 7731 1000

BUREAU VERITAS

The overall framework applied for these factors is the Environmental Product Declaration (EPD), which quantifies "environmental information on the life cycle of a product and enable comparisons between products fulfilling the same function" (ISO, 2006). This follows the structure and applies a Life-Cycle Assessment approach to the entire Product stage from raw material through manufacturing (A1-A3))

**Total CO2** 

emission

kg CO<sub>2</sub>e

39.28

CO2e/kg

kg CO<sub>2</sub>e/kg

1.78

Recycled

materials

%

33.52