Swing Frame for 2 seats

NRO922






A harmonic design of play frames attract attention. Swinging in a stable, solid framework increases the feeling of security and thus increases the force, concentration and energy that the child dare put into swinging. The more stable, the more play intensity. So children will come back to enjoy the archaic experience of swinging, again and again, benefiting their

development of balance and coordination.

Adding more seats in a swing frame motivates and enhances social play and cooperation.







Swing Frame for 2 seats

NRO922



10 years

5 years

Item no. NRO922-0901			
Installation Information			
Max. fall height	0 cm		
Safety surfacing area	0.0 m ²		
Total installation time	6.0		
Excavation volume	1.19 m³		
Concrete volume	0.36 m³		
Footing depth (standard)	88 cm		
Shipment weight	410 kg		
Anchoring options	In-ground 🗸		
Warranty Information			
Robinia Wood	15 years		



Spare Parts Guarantee

Swing Hangers

Sustainability Data

NRO922





Cradle to Gate A1-A3	Total CO ₂ emission	CO₂e/kg	Recycled materials
	kg CO₂e	kg CO₂e/kg	%
NRO922-0901	57.06	0.19	1.09

The overall framework applied for these factors is the Environmental Product Declaration (EPD), which quantifies "environmental information on the life cycle of a product and enable comparisons between products fulfilling the same function" (ISO, 2006). This follows the structure and applies a Life-Cycle Assessment approach to the entire Product stage from raw material through manufacturing (A1-A3))

Kompan A/S

C.F. Tietgens Boulevard 32C DK-5220 Odense SØ Denmark



Verification of CO₂ calculation of: Nature play



Data version no. 2023-10-05

The CO_2 calculation and data are in compliance with the principles of a carbon footprint impact according to the GHG protocol (Greenhouse Gas Protocol), Scope 3, cradle to gate related to all individual components in the product category: "Nature play" represented by item no.: NRO409-0621.

(Scope 3 emissions include emission sources in the upstream and downstream value chain).

Date: 30. October 2023 | Valid until: 30. October 2025 Verified by:

made

Julie Marie Vejsgaard Larsen, LCA & EPD Consultant

Verification based on report: Validation of ${\rm CO_2}$ calculation of 9 categories of Kompan product line, version 1.0, prepared by: Bureau Veritas HSE, Denmark: Julie M. V. Larsen.

Publication date: 30. October 2023

By Bureau Veritas HSE
www.bureauveritas.dk
+45 7731 1000


Swing Frame for 2 seats


NRO922



* Max fall height | ** Total height | *** Safety surfacing area

* Max fall height | ** Total height





NRO922 **290cm ***0m² 1:100

Click to see TOP VIEW

Click to see SIDE VIEW