Triple Somersault Bars

PCM803



	KOMPAN Let's play	
Item no. PCM803-0902		
General Product Information		
Dimensions LxWxH	306x119x170 cm	
Age group	4+	
Play capacity (users)	3	



Colour options

Ŀ

The triple somersault bars are an open invitation to somersault, be seated, hang in your knees, hang in your arms and thus a fun possibility for showing off acrobatics skills together with friends. Apart from being great fun, also for more children at a time, the movements made on the somersault bars will train the child's arm, leg and core muscles and

not least its motor skills such as sense of balance, space and cross-body coordination.



Triple Somersault Bars



PCM803



Triple Somersault Bars

PCM803



Steel posts are galvanised inside and outside with powder coated top finish. This provides an ultimate corrosion resistance in all climates around the world. The turnbars are hot dip galvanised inside and outside with lead free zinc. The galvanisation has excellent corrosion resistance in outside environments and it requires low maintenance.

Item no. PCM803-0902		
Installation Information		
Max. fall height	14	8 cm
Safety surfacing area	17	.5 m²
Total installation time		3.1
Excavation volume	0.1	l1 m³
Concrete volume	0.0)4 m³
Footing depth (standard)	8	5 cm
Shipment weight	8	35 kg
Anchoring options	In-ground	~
	Surface	~
Warranty Information		
Post	10 y	/ears
Spare parts guaranteed	10 y	/ears

KO

Let's pla



Sustainability Data

Cradle to Gate A1-A3

PCM803-0902

PCM803



Kompan A/S C.F. Tietgens Boulevard 32C DK-5220 Odense SØ Denmark



Verification of CO, calculation of: Freestanding play equipment



Data version no. 2023-10-05

The CO, calculation and data are in compliance with the principles of a carbon footprint impact according to the GHG protocol (Greenhouse Gas Protocol), Scope 3, cradle to gate related to all individual components in the product category: "Freestanding play equipment" represented by item no.: GXY916012-3417.

(Scope 3 emissions include emission sources in the upstream and downstream value chain).

Date: 30. October 2023 | Valid until: 30. October 2025 Verified by:

mais

Julie Marie Vejsgaard Larsen, LCA & EPD Consultant

Verification based on report: Validation of CO, calculation of 9 categories of Kompan product line, version 1.0, prepared by: Bureau Veritas HSE, Denmark: Julie M. V. Larsen.

Publication date: 30. October 2023



+45 7731 1000

BUREAU VERITAS

The overall framework applied for these factors is the Environmental Product Declaration (EPD), which quantifies "environmental information on the life cycle of a product and enable comparisons between products fulfilling the same function" (ISO, 2006). This follows the structure and applies a Life-Cycle Assessment approach to the entire Product stage from raw material through manufacturing (A1-A3))

Total CO2

emission

kg CO₂e

188.29

CO2e/kg

kg CO₂e/kg

3.35

Recycled


materials

%

46.38





PCM803





* Max fall height | ** Total height





Click to see TOP VIEW