PCM154





Item no. PCM154-0901

#### **General Product Information**

Dimensions LxWxH 229x263x236 cm

Age group 2 - 5

Play capacity (users) 3

Colour options









The Toddler Carousel adds spinning to swinging, making for a thrilling experience for the toddlers. The shared experience made possible in the three seats make the children want to try the Toddler Carousel again and again. Apart from being pleasurable, the spinning and swinging movements train the sense of balance and space. These are crucial

motor skills, important for all other physical skills, and eventually concentration skills for learning. To babies, swinging trains their sense of space as well as their focal tracking. The seated position trains the core muscles. Socially, the three similar seats in parallel play trains thinking skills and the awareness of others from parallel play. The baby swing seat

has big holes to support access and egress for the child and the adult alike. The front grips are designed to prevent the seat from tilting. This adds to the feeling of security, providing even more joy in play.



PCM154





#### Rotation

Physical: pushing or pulling it into motion, children use their muscle strength and strengthen their cardio. The rotation develops the sense of balance and space when enjoying the ride. Social-Emotional: listening and negotiating how slow or fast to go, children develop their empathy and cooperation skills.





**Triple seating Social-Emotional:** stimulates parallel play and cooperation, important for social skills.



#### **Toddler swing seat**

Physical: balance, coordination and spatial awareness are developed when swinging. These are necessary skills for judging distances and navigating. Social-Emotional: feeling of security from support. Cognitive: understanding of cause and effect.

#### PCM154




Lifetime

10 years

5 years

10 years



The carousel has different anchoring options for both surface and in-ground installation. All footings are hot dip galvanised inside and outside to ensure long lifetime of the product.




The seat hangers are made of high quality UVstabalised nylon (PA6) housing with integrated lifetime sealed ball bearings. The chains are fixed by a stainless steel hook with theft proof snake-eye bolt in a turn able anti twist housing.



Center post is hot-dip galvanised in dimension  $\emptyset$ 159 x 4 mm. Horizontal beams are hot-dip galvanised and powder coated in dimension  $\emptyset$ 76,1 x 3,6 mm.

Item no. PCM154-0901				
Installation Information				
Max. fall height		150 cm		
Safety surfacing area		73.9 m²		
Total installation time		3.8		
Excavation volume		0.50 m³		
Concrete volume		0.29 m³		
Footing depth (standard)		100 cm		
Shipment weight		238 kg		
Anchoring options	In-groun	d 🗸		
	Surface	~		
Warranty Information				
Chains	1	I0 years		



Chains are stainless steel and meet the requirements in ISO1434 -ISO1435 and DIN766.



The baby/toddler seat and suspension hinges are made of soft rubber (TPV). Polypropylene (PP) inside baby basket provides low friction leg openings for easy access (toddler in/out).



Belt seat is made of PUR. All components retain their properties in the temperature range of - 30°C to 60°C. All materials are stabilised to a maximum without use of heavy metal stabilities.

Elevated activities 0	Accessible elevated activities	Accessible ground level activities	Accessible ground level play types
Present	0	1	1
Required	0	1	1

CSA Z614 compliant

Hot dip galvanised steel

Spare parts guaranteed

Swing hangers

Swing seat

# **Sustainability Data**

PCM154





C.F. Tietgens Boulevard 32C DK-5220 Odense SØ Denmark



### Verification of CO<sub>2</sub> calculation of: Themed play systems



Data version no. 2023-10-05

The  $\mathrm{CO_2}$  calculation and data are in compliance with the principles of a carbon footprint impact according to the GHG protocol (Greenhouse Gas Protocol), Scope 3, cradle to gate related to all individual components in the product category: "Themed play systems" represented by item no.: MSC641100-3717P.

(Scope 3 emissions include emission sources in the upstream and downstream value chain).

Date: 30. October 2023 | Valid until: 30. October 2025 Verified by:

mode

Julie Marie Vejsgaard Larsen, LCA & EPD Consultant

Verification based on report: Validation of  ${\rm CO_2}$  calculation of 9 categories of Kompan product line, version 1.0, prepared by: Bureau Veritas HSE, Denmark: Julie M. V. Larsen.

Publication date: 30. October 2023






The overall framework applied for these factors is the Environmental Product Declaration (EPD), which quantifies "environmental information on the life cycle of a product and enable comparisons between products fulfilling the same function" (ISO, 2006). This follows the structure and applies a Life-Cycle Assessment approach to the entire Product stage from raw material through manufacturing (A1-A3))

PCM154




\* Max fall height | \*\* Total height | \*\*\* Safety surfacing area

\* Max fall height | \*\* Total height



PCM154 \* 4'-11" / 150cm \*\* 7'-9" / 236cm \*\*\* 795.5ft² / 73.9m²



Click to see TOP VIEW

Click to see SIDE VIEW