
BLOQX 4

BLX4104






A diverse bouldering route around the structure with a lot of critical spots to overcome, several great places for hanging-out and a challenging top to mount with a fine overview as reward i characterizes the Quatro BLOQX. The structure provides climbing for large numbers of climbers and offers at the same time enough spaces for rest and observation to make the

structure interesting for an audience that watches either the climbers or e.g the players on an adjacent ballgame space. By choosing plates of certain colours as climbing areas or concentrating on one of the two grip colours, routes of various complexity can be choosen.





BLOQX 4


BLX4104







Climbing grips grid Cognitive: logical thinking when figuring out routes and memorizing position of grips you can't see when climbing.











Multiple climbing blocks

Physical: develop sense of balance, proprioception and spatial awareness. Heavy duty training of arm, leg and core muscles when climbing longer. More points for strengthening bone density when jumping down. Social-Emotional: cooperation, consideration, turn-taking, risk-taking, self-confidence when self-regulating and helping others. Cognitive: logical thinking when figuring out longer routes.







Inclined panels

Physical: sense of balance when seated for breaks, and proprioception. Bone density when jumping down. Bone density is built up in youth to last the rest of your life. Social-Emotional: meeting points from where to help other children. Turn-taking and helping out are common activities on the BLOQXTM.





Climbing grips

Physical: dexterity and cross-body coordination, sense of space, all important in navigating the body in space. Pushing, pulling and using fingers, arms, legs and core, strengthen the muscles.







Meeting point

Physical: sense of balance when seated for breaks on an inclined surface. Social-Emotional: socializing, turn-taking, consideration of others.

BLOQX 4

BLX4104





High pressure moulded PP climbing panels with excellent impact strength and usable within a large temperature span. The panel are made from 75% post-consumer recycled materials in bright colors. Teal color is made from 75% ocean waste. The outside surface has an integrated pattern and surface texture that is dirt repellent.



Die-casted corner brackets of high quality lead free aluminium. The corner brackets have nicely rounded edges and countersunk stainless steel screws. For sunny environments the corner brackest can be supplied with optional powder coating which reduced the heat absorption of the brackets.



Climbing Grips are KOMPAN customized design, based on professionally designed climbing grips for optimal play value. The base material is polyester. There are two colours of climbing grips (green & black) and three on each panel. They are rotation secured by a steel pin.



Installation Information Max. fall height 300 cm Safety surfacing area 39.7 m² Total installation time 27.8 Excavation volume 1.64 m³ Concrete volume $0.45 \, \text{m}^3$ Footing depth (standard) 90 cm Shipment weight 624 kg Anchoring options In-ground Surface **Warranty Information** Climbing grips 10 years Climbing panels (PP) 10 years 10 years Corner brackets Hot dip galvanised steel Lifetime Spare parts guaranteed 10 years


Item no. BLX410403-3717



The cubes are supported by a unique designed footing system that secures the correct positioning of the cubes.



To ensure maximum safety in all weather conditions a non-skid safety plate is located when climbing down from the elevated cube. Further, a number of the top corner brackets are covered with soft PUR.




Greenline Blogx products are built of molded PP panels which consist of 75% recycled post consumer ocean waste and 25% virgin material. The panels are designed with a unique pattern that provides a non-skid surface texture. GreenLine ensures the lowest possible CO2e emission factor.



Sustainability Data

BLX4104





Cradle to Gate A1-A3	Total CO₂ emission	CO₂e/kg	Recycled materials
	kg CO₂e	kg CO₂e/kg	%
BLX410403-3717	850.51	1.86	62.32

The overall framework applied for these factors is the Environmental Product Declaration (EPD), which quantifies "environmental information on the life cycle of a product and enable comparisons between products fulfilling the same function" (ISO, 2006). This follows the structure and applies a Life-Cycle Assessment approach to the entire Product stage from raw material through manufacturing (A1-A3))

Kompan A/S

C.F. Tietgens Boulevard 32C DK-5220 Odense SØ Denmark



Verification of CO₂ calculation of: Challengers & Climbers



Data version no. 20213-10-05

The CO_2 calculation and data are in compliance with the principles of a carbon footprint impact according to the GHG protocol (Greenhouse Gas Protocol), Scope 3, cradle to gate related to all individual components in the product category: "Challenger & Climbers" represented by item no.: GXY941032-3717.

(Scope 3 emissions include emission sources in the upstream and downstream value chain).

Date: 30. October 2023 | Valid until: 30. October 2025 Verified by:

made

Julie Marie Vejsgaard Larsen, LCA & EPD Consultant

Verification based on report: Validation of ${\rm CO_2}$ calculation of 9 categories of Kompan product line, version 1.0, prepared by: Bureau Veritas HSE, Denmark: Julie M. V. Larsen.

Publication date: 30. October 2023

By Bureau Veritas HSE www.bureauveritas.dk +45 7731 1000



BLX4104



* Max fall height | ** Total height | *** Safety surfacing area

* Max fall height | ** Total height

