


Play Panel 1 - Music

NRO612



产品编号 NRO612-1001	
产品信息概览	
长宽高尺寸	130x18x83 cm
适用年龄段	1+
容纳人数	4
颜色选择	



The Music Play Panel is an irresistible attraction to young children. Its variation of materials, sounds and cooperative play options keep children coming back again and again to participate in creative play, on their own or with friends and teachers. The music pipes offer sensory variations with a tuned and tonal sound outcome. They train the hand-eye

coordination which is crucial to control of movement and e.g. hand writing. The black rubber flaps can be plunked or pipes beaten and tunes created. This trains the understanding of cause and effect and stimulates explorative, creative play. The tonality of the music panel stimulates logical as well as creative thinking and invites

cooperation and social play.



Play Panel 1 - Music

NRO612



Rubber flaps

社交情感：两排面板邀请孩子们之间进行合作与共同创作。**认知能力：**cause and effect understanding when discovering sound from flaps hitting tubes.



Tonality

认知能力：将音调组合成歌曲时可以激发孩子们的创造性思维。**创造力：**创作新的音调激发了孩子们的创造力。



Two sides

社交情感：邀请合作与交流。低矮的高度和透明的面板使双方之间的互动成为可能。



Music tubes


社交情感：invite social interaction and co-creation for more children, on both sides. **认知能力：**understanding of cause and effect when striking tubes. **创造力：**创造不同的强度和色彩，激发创造力。

Play Panel 1 - Music

NRO612



KOMPAN 的所有有机刺槐产品均由 刺槐木材制成，来自欧洲的可持续环保木材。可根据要求提供 FSC® Certified (FSC® C004450)



刺槐木可以作为未经处理的原木供应，也可以涂有棕色透明颜料，保持木材的金色木色。



所有产品都有多个基础选项：带钢基础和膨胀螺栓的地表安装。木制结构入地安装或钢材入地安装结构。

产品编号 NRO612-1001

安装信息

最大跌落高度	0 cm
安全面积	10.9 m²
安装总时长	2.6
开挖量	0.25 m³
混凝土使用量	0.00 m³
标准入地深度	100 cm
运输重量	109 kg
固定选项	入地 ✓ 地表 ✓

质保信息


EcoCore HDPE	终身质保
镀锌钢结构	终身质保
活动部件	2 年
Robinia 木材	15 年
承保零部件	10 年



19 毫米 EcoCore™ 面板。EcoCore™ 是一种高度耐用、环保的材料，不仅在使用后可回收利用，而且还包含由 100 % 食品包装可循环材料制成的芯。



木琴音乐面板由 19mm EcoCore™ 的 HDPE 材料组成。管道由压铸铝制成，专门用于户外环境。打击乐器面板由 2 个康加鼓和 PP 管组成，顶部为彩色 ABS。




软膜是由输送带质量的耐摩擦橡胶材料构成。品质优良，抗紫外线能力强。嵌入式是由编织聚酯制成的四层装甲。装甲和两个表面层的总厚度为 9 毫米。



Sustainability Data

NRO612



从原材料到成品

CO₂ 排放总量

CO₂ 排放量
/ 千克

回收的原料

kg CO₂e

kg CO₂e/kg

%

NRO612-1001

64.89

0.79

12.90

这些因素采用的总体框架为环保产品声明 (EPD)，该声明可量化“产品生命周期的环保信息，并对相同功能的产品进行对比” (ISO, 2006)。在遵循该框架的同时，对从原材料到制造的整个产品阶段 (A1-A3) 应用生命周期评估法。


KOMPAN
Let's play

Kompan A/S

C.F. Tietgens Boulevard 32C
DK-5220 Odense SØ
Denmark



Verification of CO₂ calculation of: Themed play systems



Data version no. 2023-10-05

The CO₂ calculation and data are in compliance with the principles of a carbon footprint impact according to the GHG protocol (Greenhouse Gas Protocol), Scope 3, cradle to gate related to all individual components in the product category: "Themed play systems" represented by item no.: MSC641100-3717P.

(Scope 3 emissions include emission sources in the upstream and downstream value chain).

Date: 30. October 2023 | Valid until: 30. October 2025

Verified by:

Julie Marie Vejsgaard Larsen, LCA & EPD Consultant

Verification based on report: Validation of CO₂ calculation of 9 categories of Kompan product line, version 1.0, prepared by: Bureau Veritas HSE, Denmark: Julie M. V. Larsen.

Publication date: 30. October 2023

By Bureau Veritas HSE
www.bureauveritas.dk
+45 7731 1000




Play Panel 1 - Music

NRO612

最大跌落高度 | 总高度 | 安全区域

最大跌落高度 | 总高度



NRO612
**83cm
***10.9m²



NRO612

[点击查看俯视图](#)

[点击查看侧面图](#)