


Wobble Bridge

NRO810



Item no. NRO810-1001

General Product Information

Dimensions LxWxH	380x125x140 cm
Age group	6+
Play capacity (users)	3
Color options	 



The Wobble Bridge attracts children to try out their balancing skills. The horizontal logs are responsive to every movement, training important physical skills such as using balance and muscles in feet, legs, core and arms to adjust equilibrium. For less trained bridge-walkers, the side beams add support. Walking the Wobble bridge is a highly social experience

also, children feel the movements of all the other children on the bridge from the horizontal and vertical carrier chains. This feature adds to the physical challenge of keeping the balance when going over the bridge. It additionally encourages children to cooperate and negotiate with each other as well as take turns. These are important social-emotional life skills,

when making friends.

Wobble Bridge


NRO810



Wobble bridge

Physical: passing the swaying bridge steps develops the sense of balance, which is fundamental in navigating the world securely.

Social-Emotional: passing others on the way supports consideration and turn-taking skills.



Wobble Bridge

NRO810



All Organic Robinia products by KOMPAN are made of Robinia wood from sustainable European sources. On request it can be supplied as FSC® Certified (FSC® C004450).



Chains are made of high-quality stainless-steel to ensure durability of the product.




The Robinia wood can be supplied as untreated raw wood or painted with a brown coloured transparent pigment that maintains the golden wood colour of the wood.

Item no. NRO810-1001	
Installation Information	
Max. fall height	42 cm
Safety surfacing area	27.0 m²
Total installation time	6.6
Excavation volume	0.28 m³
Concrete volume	0.04 m³
Footing depth (standard)	100 cm
Shipment weight	386 kg
Anchoring options	In-ground ✓ Surface ✓
Warranty Information	
Robinia wood	15 years
Spare parts guaranteed	10 years
Stainless steel components	Lifetime
Stainless steel components	Lifetime



Sustainability Data

NRO810



Cradle to Gate A1-A3	Total CO ₂ emission	CO ₂ e/kg	Recycled materials
	kg CO ₂ e	kg CO ₂ e/kg	%
NRO810-1001	86.59	0.31	2.85

The overall framework applied for these factors is the Environmental Product Declaration (EPD), which quantifies "environmental information on the life cycle of a product and enable comparisons between products fulfilling the same function" (ISO, 2006). This follows the structure and applies a Life-Cycle Assessment approach to the entire Product stage from raw material through manufacturing (A1-A3))

Verification of CO₂ calculation of: Nature play



Data version no. 2023-10-05

The CO₂ calculation and data are in compliance with the principles of a carbon footprint impact according to the GHG protocol (Greenhouse Gas Protocol), Scope 3, cradle to gate related to all individual components in the product category: "Nature play" represented by item no.: NRO409-0621.

(Scope 3 emissions include emission sources in the upstream and downstream value chain).

Date: 30. October 2023 | Valid until: 30. October 2025

Verified by:

Julie Marie Vejsgaard Larsen, LCA & EPD Consultant

Verification based on report: Validation of CO₂ calculation of 9 categories of Kompan product line, version 1.0, prepared by: Bureau Veritas HSE, Denmark: Julie M. V. Larsen.

Publication date: 30. October 2023



By Bureau Veritas HSE
www.bureauveritas.dk
+45 7731 1000




Wobble Bridge


NRO810

* Max fall height | ** Total height | *** Safety surfacing area

* Max fall height | ** Total height



NRO810
*42cm
**140cm
***27m²



NRO810

[Click to see TOP VIEW](#)

[Click to see SIDE VIEW](#)