NRO425





General Product Information

Dimensions LxWxH 1056x797x563 cm

Age group 5 - 12

Play capacity (users) 56

Colour options





The awesome Castle adds a regal touch to the playground, attracting young knights and princesses again and again.. With its great distribution of ground level and elevated play options, the Castle allows for all abilities playing together and invites the whole family. To the front, the Castle has three great, varied climbing entrances, all training balance,

coordination and muscles. The ground level offers play dens, barred windows and cannons to stimulate dramatic play. This stimulates children's language and social skills, when they negotiate play scenarios. On the courtyard side, the Castle opens with bridge and net. The banister bars and slide add thrill and in each their way train sense of balance and space.

These motor skills are necessary to navigate the surroundings, e.g. traffic, securely.

NRO425









Net bridge

Physical: children develop spatial awareness in the open net. Social-Emotional: interaction with children outside, socializing. Cooperation and consideration, e.g. when passing others.









Rapella

Physical: supports cross coordination, proprioception and sense of space. Leg and core muscles are used intensely. Upper body muscles are developed when children pull themselves upwards in the rope. Social-Emotional: turn-taking and self-regulation, both important life skills.



Banister bars

Physical: coordination is supported when going down, as well as arm and core muscles. Landing strengthens bone density, which is built for life in childhood. Social-Emotional: turn-taking and risk-taking.



Cognitive: the cannon set a tangible theme and thus spur dramatic play. Dramatic play supports language and communication skills.



Curly climber

downwards.



Physical: coordination and proprioception are

supported when placing arms and legs

placing arms and legs right for rotating

correctly for going down. Sense of balance

Social-Emotional: empathy stimulated by

when rotating. Arm muscles for holding tight.

turn-taking. Cognitive: logical thinking when









Physical: climbing the accessible stairway is for all and supports cross coordination as well as arm and leg muscles. For young children, walking stairs and alternating feet is developed. Social-Emotional: room for active breaks and adult helpers. An inclusive space.







Draw bridge area

Physical: varied rope rails offer levelled challenge of balance and spatial awareness as well as arm, leg and core muscles. Social-**Emotional:** the two rope rails support cooperation, parallel play and positive competition by offering varied difficulty levels in entrance.

NRO425



344 cm

119.8

7.02 m³

3.30 m³

100 cm

5,971 kg

10 years

In-ground

123.3 m²




All Organic Robinia products by KOMPAN are made of Robinia wood from sustainable European sources. On request it can be supplied as FSC® Certified (FSC® C004450).



The paint used for coloured components is water based environmentally friendly with excellent UV resistance. The paint is in compliance with EN 71 Part 3.



The Robinia products are designed with a KOMPAN colour concept with a number of different standard colours. The wood can also be supplied as untreated or with brown painted with a pigment that maintains the wood colour.



Warranty Information				
Robinia wood	15 years			
Ropes & nets	10 years			
Spare parts guaranteed	10 years			
Stainless steel components	Lifetime			

Item no. NRO425-1021 Installation Information



Ropes of UV-stabilized PES rope strands with inner steel cable reinforcement. The polyester yarn is made from +95% post-consumer materials and is inductively melted onto each strand.



The product/activities are preassembled from the factory to ensure all safety requirements are considered.



The hardware is made of stainless steel or galvanised steel to ensure durable connections with a high corrosion resistance.

Elevated activities 16	Accessible elevated activities	Accessible ground level activities	Accessible ground level play types
Present	15	2	2
Required	8	4	3

CSA Z614 compliant

Stainless steel slide

Sustainability Data

NRO425





Cradle to Gate A1-A3	Total CO₂ emission	CO₂e/kg	Recycled materials
	kg CO₂e	kg CO₂e/kg	%
NRO425-1021	3,778.70	0.79	4.30

The overall framework applied for these factors is the Environmental Product Declaration (EPD), which quantifies "environmental information on the life cycle of a product and enable comparisons between products fulfilling the same function" (ISO, 2006). This follows the structure and applies a Life-Cycle Assessment approach to the entire Product stage from raw material through manufacturing (A1-A3))

Kompan A/S

C.F. Tietgens Boulevard 32C DK-5220 Odense SØ Denmark



Verification of CO₂ calculation of: Nature play



Data version no. 2023-10-05

The CO_2 calculation and data are in compliance with the principles of a carbon footprint impact according to the GHG protocol (Greenhouse Gas Protocol), Scope 3, cradle to gate related to all individual components in the product category: "Nature play" represented by item no.: NRO409-0621.

(Scope 3 emissions include emission sources in the upstream and downstream value chain).

Date: 30. October 2023 | Valid until: 30. October 2025 Verified by:

Some

Julie Marie Vejsgaard Larsen, LCA & EPD Consultant

Verification based on report: Validation of CO_2 calculation of 9 categories of Kompan product line, version 1.0, prepared by: Bureau Veritas HSE, Denmark: Julie M. V. Larsen.

Publication date: 30. October 2023

By Bureau Veritas HSE www.bureauveritas.dk +45 7731 1000



NRO425



* Max fall height | ** Total height | *** Safety surfacing area

* Max fall height | ** Total height

