Multisport Poles (10 m net)

FRE3030






Stand alone multi sport nets can be used for all kinds of net games. Tennis, badminton, volleyball and kids own invented games.

Multisport Poles (10 m net)

FRE3030









Nets and ropes are made of UV-stabilised PA with inner steel cable reinforcement. The rope is induction treated in order to create a strong connection between steel and rope which leads to good wear resistance.

The net is secured with rope clamps (DIN741) at the top using a 3mm steel cable which is covered with 1mm Green tubing. The cable ends are closed using an aluminum talorit creating a fastening loop with a diameter of 10mm.

All steel components are manufactured from carbon steel, welding's according EN ISO 5817 & Hot dip galvanised (HDG) according to ISO1461. This process ensures good protection in all circumstances.

| Item no. FRE3030-3417 | | | |
|--------------------------|--------------------|--|--|
| Installation Information | | | |
| Max. fall height | 0 cm | | |
| Safety surfacing area | 0.0 m ² | | |
| Total installation time | 0.9 | | |
| Excavation volume | 0.22 m³ | | |
| Concrete volume | 0.22 m³ | | |
| Footing depth (standard) | 70 cm | | |
| Shipment weight | 62 kg | | |
| Anchoring options | In-ground 🗸 | | |
| | | | |
| Warranty Information | | | |
| HDG post | Lifetime | | |
| Spare parts guaranteed | 10 years | | |




Pole tops are molded of thermoplastic rubber (TPV) with a steel inlay. TPV is highly durable against wear and tear, and the steel inlay secures durability.



Sustainability Data

FRE3030





| Cradle to Gate A1-A3 | Total CO ₂ emission | CO₂e/kg | Recycled materials |
|----------------------|--------------------------------|------------|--------------------|
| | kg CO₂e | kg CO₂e/kg | % |
| FRE3030-3417 | 147.71 | 2.56 | 46.59 |

The overall framework applied for these factors is the Environmental Product Declaration (EPD), which quantifies "environmental information on the life cycle of a product and enable comparisons between products fulfilling the same function" (ISO, 2006). This follows the structure and applies a Life-Cycle Assessment approach to the entire Product stage from raw material through manufacturing (A1-A3))

Kompan A/S

C.F. Tietgens Boulevard 32C DK-5220 Odense SØ Denmark



Verification of CO₂ calculation of: Sport



Data version no. 2023-10-05

The CO_2 calculation and data are in compliance with the principles of a carbon footprint impact according to the GHG protocol (Greenhouse Gas Protocol), Scope 3, cradle to gate related to all individual components in the product category: "Sport" represented by item no.: FRE600202-0901.

(Scope 3 emissions include emission sources in the upstream and downstream value chain).

Date: 30. October 2023 | Valid until: 30. October 2025 Verified by:

made

Julie Marie Vejsgaard Larsen, LCA & EPD Consultant

Verification based on report: Validation of ${\rm CO_2}$ calculation of 9 categories of Kompan product line, version 1.0, prepared by: Bureau Veritas HSE, Denmark: Julie M. V. Larsen.

Publication date: 30. October 2023


By Bureau Veritas HSE
www.bureauveritas.dk
+45 7731 1000




Multisport Poles (10 m net)







* Max fall height | ** Total height





Click to see TOP VIEW

Click to see SIDE VIEW